Document Identifier: **PMC8411479**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Ethics approval was obtained from the regional ethics committee of the Capital Region of Denmark (approval No. H-16016763).
Inclusion and Exclusion Criteria
We included consecutive patients by conducting an eligibility assessment as part of the clinical examination for all patients referred to our orthopaedic outpatient hospital clinic, which is a high-volume center with more than 1000 shoulder-related consultations per year.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Eligibility criteria included the following: age 18-65 years persistent subacromial impingement (>3 months) diagnosed using predefined and valid criteria and a medically justified need for general rehabilitation, accompanied by the offer of a rehabilitation plan including free-of-charge physical therapy (in line with the Danish Health Act SS140).
Randomization
10 It was a pragmatic, assessor- and participant-blind, randomized controlled superiority trial with a 2-group parallel design conducted in Denmark from May 1, 2016, to October 29, 2018.
Blinding
During the full trial period, outcome assessors were blinded to group allocation, and intervention providers were blinded to outcome assessments.
Power Analysis
Statistical Analysis For the primary outcome, the sample size of 200 participants allowed for a power of 95 to verify an effect equal to, or higher than, the minimal clinically important difference of 10 points on the SPADI at a 5 significance level.

Replication	
not required.	
Data Information	
Availability: The full trial protocol describing its methodology is available via open access.	
Identifiers: 33,34,40 Self-reported information regarding time spent on exercise in usual care in both groups was collected through a weekly text message using the SMS tracking system and reported as minutes per week.	33,34,40
Protocol Information	
Identifiers: Additional secondary outcomes will be reported in subsequent publications, as outlined in the trial protocol 10 and registration (ClinicalTrials.gov NCT02747251) (see the Appendix, available online).	NCT02747251

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Dichotomous outcomes were compared between groups using chi-square tests.	chi-square tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq