Document Identifier: **PMC8414623**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Methodology Drugs and Chemicals Allopurinol (Mega pharmaceutical, Pakistan), potassium oxonate (Sigma-Aldrich, Germany), and xanthine oxidase, Xanthine. Collection of Plant The bark of Berberis vulgaris was collected from Bahawalpur, cleaned carefully to remove adulterations, and then identified by botanist, Dr Sarwar, The Islamia University of Bahawalpur, Pakistan. Preparation of Plant Extract After proper cleaning, Berberis vulgaris was ground into a powder with the help of a grinder.
IACUC: In-vivo Experiment In-vivo study procedure and laboratory animal care protocols were strictly followed according to the guidelines of the animal care committee of the Department of Pharmacy, The Islamia University of Bahawalpur.
IRB: The in-vivo experimental protocol was approved by the Pharmacy Research Ethics Committee (PREC), Faculty of Pharmacy and Alternative Medicine, The Islamia University of Bahawalpur vide Ref. No. 37-2015PREC date 08-09-2015.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Animal Model Wistar albino male rats weighing 170-200 g were selected for the study.
Subject Demographics
Weight: Animal Model Wistar albino male rats weighing 170-200 g were selected for the study.
Randomization
not detected.
Blinding
not detected.
Power Analysis

Corrected sample size = Sample size(1- attrition100) Drug Administration One hour before the administration of the drug, food was withdrawn from rats.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Animal Model Wistar albino male rats weighing 170-200 g were selected for the study.	Wistar		Suggestion: RRID:RGD_13508588(link)
Software and Algorithms			
e P<=.001 in SPSS version 20.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical Analysis For statistical significance, Students t-test was used between negative control and drug groups in various mice samples.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq