Document Identifier: **PMC8420426**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The use of surplus material for research purposes has been approved by the ethics committee of the state medical association of Rheinland-Pfalz, Germany (reference number 2020-14988-2) in accordance with the Declaration of Helsinki. 2.2 Assays for aPL aPL were determined in all COVID-19 patients by Quanta Flash automated chemiluminescent immunoassays (Instrumentation Laboratory) for anticardiolipin IgG and IgM, and anti-b2-glycoprotein I (b2GPI) IgG and IgM using the cutoffs determined in a large German cohort
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
The cutoff for positivity was determined at 26 AU , which represents the mean of 27 randomly picked controls from the local population (participants of the Gutenberg Health Study) 18 plus 3 standard deviations .
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
. 18 Antibodies against the complex of phosphatidylserine and prothrombin (anti-PSPT) of the IgG and IgM isotype were determined by ELISA (Instrumentation Laboratory) using the cutoff recommended by the supplier (30 CU) .	anti-PSPT		
Experimental Models: Cell Lines			
14 Based on a standard curve of recombinant tissue factor (TF hemosIL RecombiPlasTin 2G , 0020003051 , Instrumentation Laboratory , Munich , Germany) clotting times were converted into procoagulant activity (PCA) units . 2.5 Cell culture MM1 cells (ACC252 , DSMZ) were maintained in RPMI-1640 medium (R0883 , Sigma) supplemented with 10 fetal bovine serum (10270-106 , Gibco) , L-glutamine (35050-038 , Gibco)	MM1		
	ACC252		
Software and Algorithms			
14 Based on a standard curve of recombinant tissue factor (TF hemosIL RecombiPlasTin 2G , 0020003051 , Instrumentation Laboratory , Munich , Germany) clotting times were converted into procoagulant activity (PCA) units . 2.5 Cell culture MM1 cells (ACC252 , DSMZ) were maintained in RPMI-1640 medium (R0883 , Sigma) supplemented with 10 fetal bovine serum (10270-106 , Gibco) , L-glutamine (35050-038 , Gibco)	Gibco		
FlowJo 7.2 software was used for data analysis .	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Rhodamine B-labeled (R1755 , Sigma) platelets and 100 uL of 50 mgmL Acridine Orange (	Sigma		
To compare two groups GraphPad Prism 8 software was used for unpaired t test or Mann-Whitney test.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
To compare two groups GraphPad Prism 8 software was used for unpaired t test or Mann-Whitney test.	t test
	Mann-Whitney test
For multiple comparison one-way analysis of variance (ANOVA) and TukeysDunnett multiple comparison test or Kruskal-Wallis test and Dunns multiple comparison test or two-way ANOVA and Sidaks multiple comparison test was used.	analysis of variance
	ANOVA
	TukeysDunnett multiple comparison test
	Kruskal-Wallis test
	Dunns multiple comparison test
	Sidaks multiple comparison test
Normal distribution was confirmed using Shapiro-Wilk test.	Shapiro-Wilk test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq