Document Identifier: **PMC8426770**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Included subjects: 1 literature on the effect of MUV vaccination on mumps prevention in China (excluding Hong Kong, Macao Special Administrative Region and Taiwan) 2 the research design method was not limited, and the mumps antibody was detected before and after immunization for Chinese children (< 15 years old) 3 the detection methods were hemaggluti-nation inhibition (HI) test or enzyme-linked immunosorbent assay (enzyme-linked immunosorbent assay) (4) antibody positive conversion, including antibody negative before immunization, antibody positive after immunization, or antibody titer >= 4-fold increase after immunization. exclusion criteria: 1 animal experiment research 2 molecular biology research 3 foreign research 4 pharmacological research, Construction of BP network model The BP network model was mainly composed of input layer, hidden layer and output layer.
Attrition
not required.
Sex as a biological variable
Table 1: GM (1,1) model for mumps epidemic prediction Disease species GM(1.1) Incidence rate of male mumps x 1 (t + 1) = 9.42 e 0.00528 t - 9.36 Incidence rate of female mumps x 1 (t + 1) = -13.758 e -0.0032 t + 13.798 Statistical analysis The time series of DPS755 and BP neural network were used to establish the prediction model of mumps data and combined forecasting models were established on average daily incidence rate.
Subject Demographics
Age: Included subjects: 1 literature on the effect of MUV vaccination on mumps prevention in China (excluding Hong Kong, Macao Special Administrative Region and Taiwan) 2 the research design method was not limited, and the mumps antibody was detected before and after immunization for Chinese children (< 15 years old) 3 the detection methods were hemaggluti-nation inhibition (HI) test or enzyme-linked immunosorbent assay (enzyme-linked immunosorbent assay) (4) antibody positive conversion, including antibody negative before immunization, antibody positive after immunization, or antibody titer >= 4-fold increase after immunization. exclusion criteria: 1 animal experiment research 2 molecular biology research 3 foreign research 4 pharmacological research, Construction of BP network model The BP network model was mainly composed of input layer, hidden layer and output layer.
Randomization

not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq