Document Identifier: **PMC8426785**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: Isolates belonged to 18 different provinces in Iran from patients aged 20 d to 50 years old (supplementary File 1) .
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Table 2: PCR forward and reverse primers used in fha and prn amplification Gene Name Sequence 5- 3 fha F: GGTTCAGAGCGTCAACAGCR: CTCACCAGCTTCGCAACG prn-1 F: GCCAATGTCACGGTCCAAR: GCAAGGTGATCGACAGGG prn-2 F: AGCTGGGCGGTTCAAGGTR: CGGATTCAGGCGCAACTC Fim serotyping We assessed fimbriae 2 and 3 (Fim) expression with monoclonal antisera slide agglutination assays (anti-B . pertussis fimbriae monoclonal antibody , NIBSC code: 06120 , UK) (28) .	anti-B		
Software and Algorithms			
The contigs were aligned to the reference B . pertussis strain Tohama I (Gene Bank accession number BX470248) using progressive Mauve (ver . 2.3.1) and the de novo assembly of the raw reads were performed using SPAdes ver .	SPAdes		Suggestion: SPAdes (RRID:SCR_000131)(link)
To extract Single nucleotide polymorphism (SNPs) a combination of Burrows-Wheeler Alignment (BWA) tools (ver . 0.7.5)	BWA		Suggestion: BWA (RRID:SCR_010910)(link)
, Samtools (ver. 0.1.19) and progressive Mauve (33, 34) were used.	Samtools		Suggestion: SAMTOOLS, RRID:SCR_002105(link)

Other Entities Detected

Your Sentences	Recognized Entity
Oligonucleotides	
Table 1: Specific primers sequences targeting IS481 , ptxP , IS1001 and IS1002 Target region Primer and probe sequence (5-3) ptxP PT1a: 5-GCATGCGTGCAGATTCGTC -3PT2a: 5-CTCTGCGTTTTGATGGTGCCTA T -3PT-FAM:6FAM-AATCCAACAC GGCATGAACGCTCCTTC--BHQ2 IS481 IS481-F 5 ATCAAGCACCGCTTTACCC 3IS481-R 5 TTGGGAGTTCTGGTAGGTGTG 3IS481-FAM : 6FAM-AATGGCAAGGCCGAACGCT TCA	5-GCATGCGTGCAGATTCGTC -3PT2a: 5-CTCTGCGTTTTGATGGTGCCTA T -3PT-FAM:6FAM-AATCCAACAC GGCATGAACGCTCCTTC--BHQ2
	5-CTCTGCGTTTTGATGGTGCCTA T
	5 TTGGGAGTTCTGGTAGGTGTG 3IS481-FAM
BHQ1 IS1001 IS1001-F 5 CCAGAGCCGTTTGAGTTCGT 3IS1001-R 5 AATTGCTGCAAGCCAACCA 3IS1001-CY5 : CY5-ACATAGACCGTCAGCAG-BH Q-3 3 IS1002 IS1002-F 5 CTAGGTCGAGCCCTTCTTGTTAAC 3IS1002-R 5 GCGGGCAAGCCACTTGTA 3IS1002-FAM : 6FAM-CTACGTCCAGTTCTGTTGC ATCACCC-BHQ-1 3 Amplification was carried out in a total volume of 30 ml containing 1X master mix (Roche Applied Science) , 7.5 mM of each primers and probe and 5ml of extracted DNA (24) .	5 CCAGAGCCGTTTGAGTTCGT 3IS1001-R 5 AATTGCTGCAAGCCAACCA 3IS1001-CY5
	5 CTAGGTCGAGCCCTTCTTGTTAAC 3IS1002-R 5 GCGGGCAAGCCACTTGTA 3IS1002-FAM

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq