Document Identifier: **PMC8428156**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Material and Methods Animals and Experimental Design All experimental procedures were conducted in accordance with the guidelines of the National Research Council Guide for Care and Use of Laboratory Animals and were approved by the Committee on Care and Use of Laboratory Animals of the Medical College of Tongji University, China (TJHBLAC-2020-72).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Male C57BL6J mice (5 weeks old) were procured from Shanghai Silaike Experimental Animal Co. Ltd. (Shanghai, China).
Subject Demographics
Age: Male C57BL6J mice (5 weeks old) were procured from Shanghai Silaike Experimental Animal Co. Ltd. (Shanghai, China).
Randomization
After 1 week of acclimation, the mice were randomly allocated into 3 groups: (1) chow group (the mice received a chow diet, n=5) (2) HFD group (the mice received an HFD, n=5) and (3) LCBE group (the mice received an HFD and LCBE by gavage once daily, n=6).
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The membranes were then incubated with primary antibodies, including anti-NF-kB (1: 2000, Proteintech, 66535-1-lg), anti-TLR4 (3.5 mgmL, Abcam, ab13867), anti-CPT-1 (1: 1000, Proteintech,15184-1-AP), anti-PPAR-a (1 mgmL, Abcam, ab126285), anti-Claudin1 (1: 5000, Abcam, ab180158), anti-occludin (1: 1000, Abcam, ab167161), and anti-GAPDH (1: 25000, Proteintech, 60004-1-lg) for 16 h at 4degC.	anti-NF-kB		
	anti-TLR4		
	anti-CPT-1		
	anti-PPAR-a (1 mgmL,		Suggestion: (MyBioSource Cat# MBS617039, RRID:AB_10887251)(link)
	anti-Claudin1		
	anti-occludin		
	anti-GAPDH		
Experimental Models: Organisms/Strains			
Male C57BL6J mice (5 weeks old) were procured from Shanghai Silaike Experimental Animal Co. Ltd. (Shanghai, China).	C57BL6J		Suggestion: RRID:IMSR_JAX:000664(link)
Software and Algorithms			
Densitometry analysis of each band was conducted using ImageJ software.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical Analysis All data are expressed as means+-standard deviations (SD) for each group, and data analysis was performed using SPSS software version 20.0.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The differences among groups were determined by one-way analysis of variance (ANOVA), and P<0.05 was considered to indicate a significant difference.	analysis of variance
	ANOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq