Document Identifier: **PMC8430388**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: All procedures were carried out in accordance to Swiss cantonal regulations for animal experimentation and were approved under license 1552015.
Euthanasia Agents: 2.12 Tissue collection When brain tissue was collected for uHPLC , mice were rapidly euthanized by cervical dislocation .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
2 Methods 2.1 Animals C57BL6J (C57BL6JRj) mice (male, 2.5 months of age) were obtained from Janvier (France).
Subject Demographics
Age: The mice arrived at the lab aged between postnatal day 21-23 housed in groups of 5.
Randomization
Upon arrival they were ear-tagged and split randomly (by cage) into either the CSI or control group.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Code Information

Availability: The data generated by DeepLabCut was processed using custom R Scripts that are available online (https:github.comETHZ-INSDLCAnalyzer).

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
2 Methods 2.1 Animals C57BL6J (C57BL6JRj) mice (male, 2.5 months of age) were obtained from Janvier (France).	C57BL6J		Suggestion: RRID:IMSR_JAX:000664(link)
	C57BL6JRj		
Software and Algorithms			
2.8 Noldus EthoVision EthoVision XT14 was used to acquire all forced swim and elevated plus maze videos.	EthoVision		Suggestion: EthoVision XT, RRID:SCR_000441(link)
For differential gene expression (DGE) analysis we aggregated reads of protein coding transcripts and used R (v . 3.6.2) with the package edgeR (v 3.26.8) for analysis .	edgeR		Suggestion: edgeR (RRID:SCR_012802)(link)
Surrogate variables independent of experimental groups were identified using the SVA package 3.34.0 on data after DESeq2 variance-stabilization (Leek et al., 2012 Love et al., 2014), and were then included as additive terms in the GLMs.	DESeq2		Suggestion: DESeq, RRID:SCR_000154(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
2.11 Statistical analysis of behavior Data were tested for normality and all comparisons between normally distributed datasets containing two independent groups were performed using unpaired t-tests (2-tailed) , data which was found to not follow a normal distribution was compared using non-parametric analyses .	t-tests
All comparisons between more than two groups were performed using two-way ANOVAs in order to identify group effects .	ANOVAs
Significant main effects were then followed up with post hoc tests (Tukeys multiple comparison test) .	Tukeys multiple comparison test
We used a generalized linear model (GLM) with empirical Bayes quasi-likelihood F-tests .	F-tests
For multiple testing correction the Benjamini-Hochberg false discovery rate (FDR) method was used.	Benjamini-Hochberg
Oligonucleotides	
Forward primer (FP) and reverse primer (RP) sequences were as follows: Apold1: FP: ACCTCAGGCTCTCCTTCCATCATC , RP: ACCCGAGACAAAGCACCAATGC.	ACCTCAGGCTCTCCTTCCATCATC
	ACCCGAGACAAAGCACCAATGC
Cyr61: FP: AGCTCACTGAAGAGGCTTCCTGTC , RP: ACTCGTGTGGAGATGCCAGTTC.	AGCTCACTGAAGAGGCTTCCTGTC
	ACTCGTGTGGAGATGCCAGTTC
Dusp1: FP: AGACATCAGCTCCTGGTTCAACG, RP: CCAGCATCCTTGATGGAGTCTATG .	CCAGCATCCTTGATGGAGTCTATG
Fos: FP: ACAGATACACTCCAAGCGGAGAC, RP: TGGCAATCTCAGTCTGCAACGC.	ACAGATACACTCCAAGCGGAGAC
	TGGCAATCTCAGTCTGCAACGC

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq