Document Identifier: **PMC8435491**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study protocol complied with the Declaration of Helsinki , and was reviewed and approved by the Institutional Review Board of each center , including Hanyang University Seoul Hospital (
Consent: Written informed consent was obtained from all participants .
Inclusion and Exclusion Criteria
A total of 1,132 patients with elevated office BP (systolic blood pressure SBP >= 140 mmHg andor diastolic blood pressure DBP >= 90 mmHg) were excluded.
Attrition
Of these , 1,986 patients were treated with antihypertensive drugs .
Sex as a biological variable
Left ventricular hypertrophy (LVH) was defined as LVMI >= 116 gm2 for men and >= 96 gm2 for women.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Recombinant DNA			
All statistical analyses were performed using the statistical software R3.6.1, Rstudio1.2.1, and its packages including descry, rms, Amelia, tableone, coin, ROCR, and pROC.	pROC		Suggestion: RRID:Addgene_198430(link)
Software and Algorithms			
All statistical analyses were performed using the statistical software R3.6.1, Rstudio1.2.1, and its packages including descry, rms, Amelia, tableone, coin, ROCR, and pROC.	Amelia		Suggestion: AMELIA (RRID:SCR_009119)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Continuous variables such as age, BMI, and WC, and categorical variables such as sex and number of antihypertensive drugs in the two groups were compared using Students t test and chi-square test, respectively.	t test
	chi-square test
Fishers exact test was used for non-parametric analyses.	Fishers exact test
The observed incidence of MUCH was calculated at every score interval of 1 for the Hosmer-Lemershow test.	Hosmer-Lemershow test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq