Document Identifier: **PMC8436207**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Ethics and animal Animal experiments were performed in accordance with the principles of replacement , refinement and reduction and were approved by the Institutional Animal Care and Use Committee (IACUC) of Chung Shan Medical University , Taichung (approval no. 1676 approved on December 2015) .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
A total of 32 BALBc BYJNarl female mice (age , 7 weeks weight , 19-21 g) were obtained from the National Laboratory Animal Center and administrated under the IACUC at Chung Shan Medical University (Taichung , Taiwan) .
Subject Demographics
Weight: A total of 32 BALBc BYJNarl female mice (age , 7 weeks weight , 19-21 g) were obtained from the National Laboratory Animal Center and administrated under the IACUC at Chung Shan Medical University (Taichung , Taiwan) .
Age: After 1 week of acclimation , the 8-week-old animals were randomly divided into eight groups (n=4 per group) as follows: i) Control group (PBS) ii) B19V-VP1 group iii) B19V-NS1 group iv) B19V-VP1u group v) VP1u-A group vi) VP1u-B group vii) VP1u-C group and viii) VP1u-D group .
Randomization
After 1 week of acclimation , the 8-week-old animals were randomly divided into eight groups (n=4 per group) as follows: i) Control group (PBS) ii) B19V-VP1 group iii) B19V-NS1 group iv) B19V-VP1u group v) VP1u-A group vi) VP1u-B group vii) VP1u-C group and viii) VP1u-D group .
Blinding
not detected.
Power Analysis

not detected.
Replication
Number: The mice were then boosted with 20 ug recombinant proteins or PBS mixed 1:1 (vv) with Freunds incomplete adjuvant (MillporeSigma) twice times each on days 14 and 28 .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
After blocking in 5 non-fat dry milk for 1 h at 25degC , membranes were incubated with antibodies against IL-6 (1:500 cat. no. sc-1265) ,	IL-6		
Recombinant DNA			
The DNA sequences encoding B19-VP1, VP1u and truncated B19V-VP1uA (residues 1-60), B (residues 61-129), C (residues 130-195) and D (residues 196-227) were ligated into a pET-32a vector-Novagene (MilliporeSigma).	pET-32a		Suggestion: RRID:Addgene_120288(link)
Software and Algorithms			
For immunoblotting , extracted proteins (25 uglane) were separated using 12 or 15 SDS-gels , and transferred to nitrocellulose membranes (Bio-Rad Laboratories , Inc .)	Bio-Rad Laboratories		
Signals were visualized using Immobilon Western Chemiluminescent HRP Substrate (MilliporeSigma) , and densitometry analysis was performed using an imaging analyzer (GE ImageQuant TL 8.1 GE Healthcare Life Sciences) . H&E staining For H&E staining , the left ventricle tissues of mice were immersed in 10 formalin at 25degC for 24 h and embedded in paraffin .	ImageQuant		
Statistical analysis GraphPad Prism 5 software (GraphPad Software, Inc.) was used to calculate the significant differences among groups using a one-way ANOVA followed by Tukeys multiple-comparisons test.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis GraphPad Prism 5 software (GraphPad Software, Inc.) was used to calculate the significant differences among groups using a one-way ANOVA followed by Tukeys multiple-comparisons test.	ANOVA
	Tukeys multiple-comparisons test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq