Document Identifier: **PMC8436788**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study design was positively reviewed by the Ethics Committee of the District Medical Chamber in Krakow (no. 113KBLOIL2014 dated December 2014).
Consent: All patients who participated in the study signed an informed consent form.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
The cut-off point for an appropriate handgrip result was taken from the guidelines of the European Working Group on Sarcopenia in Older People from 2010 (EWGSOP1, > 20 kg for women) and 2018 (EWGSOP2, > 16 kg for women) 17, 18.
Subject Demographics
Age: A total of 120 (mean age 69 years 59-81, SD 5.3) patients were enrolled in the study while 6 did not meet the inclusion criteria (BMI outside the range of 15-37 kgm2, residency outside Malopolska voivodeship, premenopause).
Weight: The cut-off point for an appropriate handgrip result was taken from the guidelines of the European Working Group on Sarcopenia in Older People from 2010 (EWGSOP1, > 20 kg for women) and 2018 (EWGSOP2, > 16 kg for women) 17, 18.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis was carried out with Statistica 13 (TIBCO Software, StatSoft, Palo Alto, CA) and Microsoft Excel (Microsoft Corporation, Redmond, WA).	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical tests used in the study included: Students t-test, the Mann-Whitney U test, ANOVA and the kh2 test.	t-test
	Mann-Whitney U test
	ANOVA
In order to assess possible correlations the Pearson correlation coefficient was used.	Pearson correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq