Document Identifier: **PMC8436881**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
The linkage was possible because since 2009 ANZARD has collected the first two letters of female patients first and last names.
Subject Demographics
Age: For the remaining unmatched ANZARD births, we progressively relaxed by a grace period of 16 days Lower limit: Babys DOB from ANZARD data - grace period1 Upper limit: Babys DOB from ANZARD data + grace period1 2 Cleavage (3 day old embryo) Lower limit: Embryo transfer date - 3 days - 14 days +7xgestational weeks - grace period2 Upper limit: Embryo transfer date - 3 days - 14 days +7xgestational weeks +grace period2 Blastocysts (5 day old embryo) Lower limit: Embryo transfer date - 5 days - 14 days +7xgestational weeks - grace period2 Upper limit: Embryo transfer date - 5 days - 14 days +7xgestational weeks +grace period2 Both cleavage and blastocysts Lower limit: Embryo transfer date - 5 days - 14 days +7xgestational weeks - grace period2 Upper limit: Embryo transfer date - 3 days - 14 days +7xgestational weeks +grace period2 Donor Insemination (DI) Lower limit: DI date - 14 days +7xgestational weeks - grace period2 Upper limit: DI date - 14 days +7xgestational weeks + grace period2 PDC = Perinatal Data Collection ANZARD = Australia and New Zealand Assisted Reproduction Database DI = Donor insemination DOB = date of birth.
Randomization
not detected.
Blinding
not detected.
Power Analysis

not detected.

Replication

This is required to ensure privacy and confidentiality in Australia. 3These 606,658 mothers identifiers included duplicates of mothers who gave birth in both NSW and ACT.

Number: This is required to ensure privacy and confidentiality in Australia. 3These 606,658 mothers identifiers included duplicates of mothers who gave birth in both NSW and ACT.

Code Information

Availability: For their offspring, information is available on birth outcomes, birth defects, long-term and short-term adverse health conditions, hospital admissions, death, and cause of death (Table 1, Supplementary Appendix).

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq