Document Identifier: **PMC8449240**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Syngeneic graft model Academia Sinica Institutional Animal Care and Use Committee approved the experiments .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Each flank of 3-week-old male C57BL6 mice was injected with 1x107 siRNA-transfected MOC-L1 cells (derived from a male C57BL6 mouse) that were suspended in 200 ml of PBS.
Subject Demographics
Age: Each flank of 3-week-old male C57BL6 mice was injected with 1x107 siRNA-transfected MOC-L1 cells (derived from a male C57BL6 mouse) that were suspended in 200 ml of PBS.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Number: Quantification and statistical analysis In all experiments shown in Figures, average values and standard deviations were obtained from at least three independent experiments.
Cell Line Authentication

not detected.	
Data Information	
Identifiers: RRID:AB_1968943 SRP54 Santa Cruz Catsc-393855 RRID:AB_1562699	SRP54
Identifiers: RPL13 ABclonal CatA6723 RRID:AB_2767307 RPS3A ABclonal CatA5885 RRID:AB_2766633 IL1B ABclonal CatA19635 RRID:AB_2862708 F480 GeneTex CatGTX26640 RRID:AB_385952 GRP94 GeneTex CatGTX103232 RRID:AB_1950516 VIM GeneTex CatGTX100619 RRID:AB_1952557 SNAI2 GeneTex CatGTX128796 RRID:AB_2885815 ACTA2 GeneTex CatGTX124505 RRID:AB_11166745 FAP GeneTex CatGTX102732 RRID:AB_1950254 SRP68 Bethyl Laboratories CatA303-955A	SRP68
Identifiers: CatLS-G137832 Millicell hanging cell culture insert 24 well PET 8 mm Merck CatMCEP24H48 m-Slide Angiogenesis , ibiTreat , sterile ibidi Cat81506 Matrigel Growth Factor Reduced Corning Cat354230 Phorbol 12-myristate 13-acetate Merck CatP1585 Chemicals , peptides , and recombinant proteins Dulbeccos modified Eagles medium (DMEM) Thermo Fisher Cat11965092	CatMCEP24H48
Identifiers: Trizol LS reagent Thermo Fisher Cat10296028 T7 RNA polymerase Promega CatP2075 Bio-16-UTP Thermo Fisher CatAM8452 Dynabeads MyOne Streptavidin C1 Thermo Fisher Cat65001 Deposited data RNA-seq and RIBO-seq data This study GEO: GSE160803	GSE160803
Identifiers: sense: GCGCUUCUACCAAAUACACUUGAU A Thermo Fisher NA siD1 sense: CCUAGACCUGAACUCUUCAGAUAAU Thermo Fisher Cat MSS236324 siD2 sense: GGGAGAAAUUAUCAUGGGAAACAU U Thermo Fisher Cat MSS236325 siD3 sense: CACCAACGAGAGAGUUGGCAGUAC A Thermo Fisher Cat MSS236326 siSRP54 sense: CAACAACAUGUUCAAAGCUAGCAU A GenePharma NA siSRP68 sense: CCCUUGAGGACAAGUUGGAACAGA A GenePharma NA Sense sequence for shRNA , see Table S5 Integrated DNA Technologies NA Primers , see Table S6 Integrated DNA Technologies NA Recombinant DNA pcDNA3.1	siSRP54 siSRP68

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Catsc-365768 RRID:AB_10844621			(Santa Cruz Biotechnology Cat# sc-365768, RRID:AB_10844621)(link)
RRID:AB_1968943 SRP54 Santa Cruz Catsc-393855 RRID:AB_1562699			(GenScript Cat# A01410, RRID:AB_1968943)(link)
			(Santa Cruz Biotechnology Cat# sc-133132, RRID:AB_1562699)(link)
RRID:AB_2736879			(ABclonal Cat# AC002, RRID:AB_2736879)(link)
RRID:AB_2294988			(R and D Systems Cat# AF1865, RRID:AB_2294988)(link)
RRID:AB_397580			(BD Biosciences Cat# 610181, RRID:AB_397580)(link)
RRID:AB_10743057			(Sigma-Aldrich Cat# SAB4200236, RRID:AB_10743057)(link)
RAC1 Merck Cat05-389 RRID:AB_309712 AREG ABclonal CatA1860 RRID:AB_2763895 NRG1 ABclonal CatA0687 RRID:AB_2757338 IL1A ABclonal CatA2170 RRID:AB_2764188 IL18 ABclonal CatA1115 RRID:AB_2861508 VEGFA ABclonal CatA5708 RRID:AB_2766467 SRP54 ABclonal CatA4126 RRID:AB_2765514 MIF ABclonal CatA11231	RAC1	Millipore	(Millipore Cat# 05-389, RRID:AB_309712)(link)
	AREG	ABclonal	(ABclonal Cat# A1860, RRID:AB_2763895)(link)
	NRG1	ABclonal	(ABclonal Cat# A0687, RRID:AB_2757338)(link)
	IL1A	ABclonal	(ABclonal Cat# A2170, RRID:AB_2764188)(link)
	IL18	ABclonal	(ABclonal Cat# A1115, RRID:AB_2861508)(link)
	VEGFA	ABclonal	(ABclonal Cat# A5708, RRID:AB_2766467)(link)
	SRP54	ABclonal	(ABclonal Cat# A4126, RRID:AB_2765514)(link)
RRID:AB_2861527			(ABclonal Cat# A11231, RRID:AB_2861527)(link)
RPL13 ABclonal CatA6723 RRID:AB_2767307 RPS3A ABclonal CatA5885 RRID:AB_2766633 IL1B ABclonal CatA19635 RRID:AB_2862708 F480 GeneTex CatGTX26640 RRID:AB_385952 GRP94 GeneTex CatGTX103232 RRID:AB_1950516 VIM GeneTex CatGTX100619 RRID:AB_1952557 SNAI2 GeneTex CatGTX128796 RRID:AB_2885815	RPL13 ABclonal CatA6723	ABclonal	(ABclonal Cat# A6723, RRID:AB_2767307)(link)
	RPS3A	ABclonal	(ABclonal Cat# A5885, RRID:AB_2766633)(link)
	IL1B	ABclonal	(ABclonal Cat# A19635, RRID:AB_2862708)(link)
			(GeneTex Cat# GTX26640, RRID:AB_385952)(link)

ACTA2 GeneTex CatGTX124505 RRID:AB_11166745 FAP GeneTex CatGTX102732 RRID:AB_1950254 SRP68 Bethyl Laboratories CatA303-955A	GRP94	GeneTex	(GeneTex Cat# GTX103232, RRID:AB_1950516)(link)
	VIM	GeneTex	(GeneTex Cat# GTX100619, RRID:AB_1952557)(link)
			(GeneTex Cat# GTX128796, RRID:AB_2885815)(link)
	ACTA2	GeneTex	(GeneTex Cat# GTX124505, RRID:AB_11166745)(link)
	FAP	GeneTex	(GeneTex Cat# GTX102732, RRID:AB_1950254)(link)
RRID:AB_2620304			(Bethyl Cat# A303-955A, RRID:AB_2620304)(link)
Goat anti-Rabbit IgG-heavy and light chain antibody , HRP-conjugated Bethyl Laboratories CatA120-101P	anti-Rabbit IgG-heavy		
RRID:AB_67264			(Bethyl Cat# A120-101P, RRID:AB_67264)(link)
Anti-Mouse IgG HRP linked whole antibody Merck CatGENA931-1ML AccuBlotTM anti-Rabbit IgG-HRP Royez CatC04010 AccuBlotTM anti-Mouse IgG-HRP Royez CatC04009	Anti-Mouse IgG		
Alexa Fluor 488 goat anti-Mouse IgG Thermo Fisher CatA11001 RRID:AB_2534069	Alexa Fluor goat anti-Mouse	Thermo Fisher Scientific	(Thermo Fisher Scientific Cat# A-11001, RRID:AB_2534069)(link)
Alexa Fluor 568 goat anti-Rabbit IgG Thermo Fisher CatA11011 RRID:AB_143157 AREG ELISA Kit (Human) Aviva Systems CatOKEH00009 AREG ELISA Kit (Mouse) Aviva Systems CatOKCD05604	Alexa Fluor goat anti-Rabbit	Thermo Fisher Scientific	(Thermo Fisher Scientific Cat# A-11011, RRID:AB_143157)(link)
For mass spectrometry analysis of DDX3-interacting proteins , 5 mg of cell lysate proteins and 15 mg of DDX3 antibody were used.	DDX3		
Experimental Models: Cell Lines			
Experimental models: cell lines SAS Gift from Cheng-Chi Chang RRID: CVCL_1675 Ca9-22 Gift from Te-Chang Lee RRID: CVCL_1102 CAL27 Gift from Te-Chang Lee RRID: CVCL_1107 FaDu Gift from Te-Chang Lee RRID: CVCL_1218 GNM Gift from Cheng-Chia Yu RRID: CVCL_WL58 HSC3 Gift from Te-Chang Lee RRID: CVCL_1288 OECM1 Gift from Te-Chang Lee RRID: CVCL_6782 SCC4 Gift from Te-Chang Lee RRID: CVCL_1684 TW2.6 Gift from Te-Chang Lee RRID: CVCL_GZ05	SAS		(RRID:CVCL_1675)(link)
	Ca9-22		Warning: Problematic cell line: Misidentified/contaminated (RRID:CVCL_1102)(link)
	CAL27		(RRID:CVCL_1107)(link)
	FaDu		(RRID:CVCL_1218)(link)
	GNM		Warning: Problematic cell line: Misidentified/contaminated (RRID:CVCL_WL58)(link)
	HSC3 Gift		(RRID:CVCL_1288)(link)
	OECM1		(RRID:CVCL_6782)(link)

	SCC4		(RRID:CVCL_1684)(link)
			(RRID:CVCL_GZ05)(link)
EA.hy926 Gift from Te-Chang Lee RRID: CVCL_3901 MOC-L1 Shu-Chun Lin RRID: CVCL_A9X3 MOC-L2 Shu-Chun Lin RRID: CVCL_A9X4 MOC-L3 Shu-Chun Lin RRID: CVCL_A9X5 MOC-L4 Shu-Chun Lin RRID: CVCL_A9X6 THP-1 Gift from Li-Min Huang RRID: CVCL_0006	EA.hy926		(RRID:CVCL_3901)(link)
	MOC-L1		(RRID:CVCL_A9X3)(link)
	MOC-L2		(RRID:CVCL_A9X4)(link)
	MOC-L3		(RRID:CVCL_A9X5)(link)
	MOC-L4		(RRID:CVCL_A9X6)(link)
	THP-1		(RRID:CVCL_0006)(link)
, GNM , HSC3 , OECM1 , SCC4 , TW2.6 , EA.hy926 , MOC-L1 , MOC-L2 , MOC-L3 , and MOC-L4) were respectively cultured in RPMI 1640 and DMEM supplemented with 10 (vv) FBS at 37degC with a humidified atmosphere of 5 CO2 , 100 Uml penicillin , 100 mgml streptomycin , and 2 mM L-glutamine.	HSC3		Suggestion: RRID:CVCL_1288(link)
THP-1 differentiation and polarization THP-1 cells grown to approximately 1x106 cellsml were collected by centrifugation and then resuspended in DMEM or CM with 5x105 cellsml and cultured for 72 hrs .	THP-1		Suggestion: RRID:CVCL_0006(link)
Each flank of 3-week-old male C57BL6 mice was injected with 1x107 siRNA-transfected MOC-L1 cells (derived from a male C57BL6 mouse) that were suspended in 200 ml of PBS.	MOC-L1		
Experimental Models: Organisms/Strains			
Each flank of 3-week-old male C57BL6 mice was injected with 1x107 siRNA-transfected MOC-L1 cells (derived from a male C57BL6 mouse) that were suspended in 200 ml of PBS.	C57BL6		Suggestion: RRID:IMSR_JAX:000664(link)
Recombinant DNA			
Plasmid constructs The pP2A plasmid was derived from pcDNA3.1 containing an in frame FLAG epitope , the porcine teschovirus-1 2A peptide and EGFP (Chen et al. , 2018) and used for construction of overexpression vectors .	pcDNA3.1		Suggestion: RRID:Addgene_100544(link)
OSCC-associated DDX3 mutations (D521H , D558H , E572Q) were generated from the pP2A-DDX3	pP2A-DDX3		

(wild type) vector by using PCR-based mutageneis .			
The pP2A-AREG vector was constructed by inserting human AREG cDNA from SAS cells .	pP2A-AREG		
For transient knockdown of DDX3 partners , each of the gene-specific shRNA sequences was constructed into the pAAVEMBL-CB-EGFP vector as described (Chen et al. , 2016) .	pAAVEMBL-CB-EGFP		
The AREG expression vector was constructed by cloning the human AREG cDNA 5 in-frame with the FLAG tag into pP2A .	pP2A		
To construct the in vivo translation reporters , the 5 UTR (210 nt) and 3 UTR (265 nt) sequences of AREG were respectively inserted upstream and downstream of the humanized renilla luciferase (hRL) gene of psiCHEK-2 (pCH , Promega .	psiCHEK-2		
For reporter transfection , 0.05 mg of pCH or pCH-AREG UTR reporters and 0.45 mg of pP2A or DDX3 overexpression vectors were used.	pCH		
	pCH-AREG UTR		
Software and Algorithms			
Software and algorithms Human genome version hg38GRCh38.p13 Ensembl http:asia . ensembl . orgHomo sapiensInfoIndex ImageJ (Schneider et al. , 2012)	Ensembl		Suggestion: Ensembl (RRID:SCR_002344)(link)
Staining intensity representing cell migration efficiency was quantified by using ImageJ software.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Bowtie and TopHat2 were used to map the reads to the human genome version hg38GRCh38.p13 with specific settings --no-coverage-search --segment-length 14 --segment-mismatches 1 , and calculate the mapped reads statistically .	Bowtie		
	TopHat2		
The reads per kilobase pase million (RPKM) of each protein-coding gene for each sample , and the differential expressions of genes between various samples were calculated with Cufflinks and Cuffdiff 2 based on the protein coding gene annotation file provided from Ensembl database.	Cufflinks		
	Cuffdiff		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis was performed using Students t-test.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq