Document Identifier: **PMC8453495**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| IRB: This study was conducted according to the principles expressed in the Declaration of Helsinki and was approved by the Medical Ethics Committee of Academic Medical Center. |
| Inclusion and Exclusion Criteria |
| We excluded cases without complete drug-dispensing record 1year before index date (OHCA date), those who suffered OHCA from obvious non-cardiac causes (e.g., trauma, drowning), and those who suffered their second OHCA episode. |
| Attrition |
| not detected. |
| Sex as a biological variable |
| 581 Male sex 168 (76.7) 556 (79.8) . |
| Subject Demographics |
| Age: not detected. |
| Weight: not detected. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| not required. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| 2.3 Exposure of interest We studied use of the most commonly prescribed SU drugs in the Netherlands (glibenclamide, glimepiride, gliclazide, tolbutamide) by using the Anatomical Therapeutic Chemical classification (ATC) system (see Table S1 in the Supporting Information for the ATC codes). | ATC | | |
| For the cellular electrophysiological studies, statistical analysis was carried out with SigmaStat 3.5 software and data are presented as mean ± SEM. | SigmaStat | | Suggestion: SigmaStat (RRID:SCR_010285)( link) |
| 2.7 Nomenclature of targets and ligands Key protein targets and ligands in this article are hyperlinked to corresponding entries in http://www.guidetopharmacology.org, the common portal for data from the IUPHAR/BPS Guide to PHARMACOLOGY, and are permanently archived in the Concise Guide to PHARMACOLOGY 2019/20. 13 | http://www.guidetopharmacology.org | | |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| P-values are calculated using the Student's t-test or $\chi 2$ statistics. | t-test |
| | $\chi 2$ |
| Comparisons for continuous variables were made with Student's t-test or analysis of variance (ANOVA). | analysis of variance |
| | ANOVA |
| Normality and equal variance assumptions were tested with the Kolmogorov–Smirnov and the Levene median test, respectively. | Kolmogorov–Smirnov |
| | Levene median test |
| Groups were compared using ANOVA based on ranks test (Kruskal-Wallis test) followed by Dunn's test. | ANOVA based on ranks test |
| | based |
| | Kruskal-Wallis test |
| | Dunn's test |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq