Document Identifier: **PMC8453545**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Collection and experiments were performed under the research permit (#2012/48584) issued by the Curaçaoan Ministry of Health, Environment and Nature (GMN) to the CARMABI Foundation.
Inclusion and Exclusion Criteria
Because fraction 1 (the heaviest fraction) and fraction 15 (the lightest fraction) contain mostly CsCl or sterile water they were excluded for further analysis .
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Per treatment, three sponge replicates and one seawater control without sponge were incubated.
Data Information
Availability: The sequence data have been deposited in the NCBI database under BioProject ID PRJNA698441.

Identifiers: The sequence data have been deposited in the NCBI database under BioProject ID PRJNA698441.	PRJNA698441

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The DNA concentration of each fraction was measured with Qubit® dsDNA HS Assay Kit and Qubit® 2.0 Fluorometer (Invitrogen , CA , USA) .	Qubit®		
Amplicon libraries were sequenced using the MiSeq v3 chemistry sequencing kit (2 × 300 bp) on an Illumina MiSeq platform (MiSeq FGx; Illumina , San Diego , USA) .	MiSeq		Suggestion: A5-miseq (RRID:SCR_012148)(link)
Amplicon sequence variants (ASVs) were computed with the DADA2 algorithm within QIIME2 (version 2018.11) .	Amplicon		Suggestion: Amplicon (RRID:SCR_003294)(link)
Among the significantly enriched taxa (P < 0.05, LEfSe) in the sponge-associated bacterial community, substrate incorporation was validated based on two criteria: (i) the increasing relative abundance of a taxon in the 13C treatment occurs in at least two consecutive density fractions, with highest abundance in the heaviest of the two fractions, and ii) the relative abundance of the taxon in the 13C treatment is greater than its relative abundance in the 12C treatment in both density fractions.	LEfSe		Suggestion: LEfSe (RRID:SCR_014609)(link)
The sequence data have been deposited in the NCBI database under BioProject ID PRJNA698441.	NCBI		Suggestion: NCBI (RRID:SCR_006472)(link)
	BioProject		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq