Document Identifier: **PMC8457427**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: METHODS Study participants All population studies included in the IDACO database 11 received ethical approval from the Institutional Review Boards in their country of origin and adhered to the Declaration of Helsinki. 12 Participants provided informed written consent.
Consent: METHODS Study participants All population studies included in the IDACO database 11 received ethical approval from the Institutional Review Boards in their country of origin and adhered to the Declaration of Helsinki. 12 Participants provided informed written consent.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.
Cell Line Authentication
Authentication: All endpoints were validated against medical records held by primary care physicians, specialists, or hospitals.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Across all studies, baseline data were collected from May 1988 until August 2010 and follow-up data from August 2007 to October 2016 (Supplementary Table S1 online).	August		Suggestion: August Pi i Sunyer Biomedical Research Institute; Barcelona; Spain (RRID:SCR_000954)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
We applied the Kolmogorov-Smirnov test for assessing the normality of distributions.	Kolmogorov-Smirnov test
For between-group comparison of means and proportions, we applied the large-sample z-test and Fishers exact test, respectively.	z-test
	Fishers exact test
We checked the proportional hazards assumption for PP by the Kolmogorov-type supremum test and by testing the interaction between BP and follow-up time.	Kolmogorov-type supremum test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq