Document Identifier: **PMC8473998**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: The protocol was approved by the institutional Animal Experiments Local Ethics Committee and the study adhered to the EU Directive 201063EU.
Euthanasia Agents: After the experimental applications, approximately 7 ml of blood was taken from the rats by puncture from the hearts under anesthesia (10 mgkg xylazine and 90 mgkg ketamine hydrochloride) and euthanasia was performed by the cervical dislocation method.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Animal groups A total of 30 adult, male Wistar albino rats with an average weight of 220-240 g (mean: 232 g) were used.
Subject Demographics
Weight: Animal groups A total of 30 adult, male Wistar albino rats with an average weight of 220-240 g (mean: 232 g) were used.
Randomization
The rats were randomly divided (simple randomization) in the following five groups (six each): control, apixaban, rivaroxaban, dabigatran and enoxaparin treatment groups.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Goat Anti-Mouse IgG H and L (FITC) (Abcam, Catalog number: Ab6785, dilution 150, Cambridge, UK) secondary antibodies were applied to the sections, and then washed with PBS at the end of the incubation with primary antibody for 45 minutes in the immunofluorescence method.	Anti-Mouse IgG		
Experimental Models: Organisms/Strains			
Animal groups A total of 30 adult, male Wistar albino rats with an average weight of 220-240 g (mean: 232 g) were used.	Wistar		Suggestion: RRID:RGD_13508588(link)
Software and Algorithms			
Statistical analysis All statistical calculations were performed with IBM SPSS Statistics software (version 22, IBM Corporation, Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Kruskal-Wallis test and Mann-Whitney U test were used to compare parameters that do not show the normal distribution in quantitative data.	Kruskal-Wallis test
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq