Document Identifier: **PMC8474630**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Each participant completed informed consent and received modest compensation.
IRB: Prior to beginning the study approval was obtained from the Ohio State University Biomedical Institutional Review Board.
Inclusion and Exclusion Criteria
Two women were excluded due to having only one time point with adiponectin and leptin data, and two women were excluded as outliers for weight change (losses of 49 and 14 pounds), resulting in a final sample size of 80. 2.2 Participants All women were born and raised in the United States.
Attrition
Two women were excluded due to having only one time point with adiponectin and leptin data, and two women were excluded as outliers for weight change (losses of 49 and 14 pounds), resulting in a final sample size of 80. 2.2 Participants All women were born and raised in the United States.
Sex as a biological variable
2 Methods 2.1 Study design This study included 84 pregnant women who were recruited from the Ohio State University Medical Center (OSUMC) Prenatal Clinic.
Subject Demographics
Weight: For models focused on infant birth weight, low birth weights <2500g were excluded from analysis (n = 5), as these may be indicative of pathological states (such as intrauterine growth restriction), and gestational age at delivery was included as a control variable.
Randomization
The model included main effects for race, BMI group, and study visit, all two-way interactions between BMI group, race, and study visit as well as the three-way interaction between these factors, and a random subject effect to account for correlation among measures from the same subject.
Blinding
not detected.
Power Analysis

not detected.
Replication
Total GWG and infant birth weight were determined via medical record review after delivery. 2.3 Adiponectin and leptin assays Serum levels of adiponectin were measured by diluting samples 1:1000 and assaying in duplicate using human adiponectin kits from Meso Scale Discovery (1601 Research Blvd.
Number: Total GWG and infant birth weight were determined via medical record review after delivery. 2.3 Adiponectin and leptin assays Serum levels of adiponectin were measured by diluting samples 1:1000 and assaying in duplicate using human adiponectin kits from Meso Scale Discovery (1601 Research Blvd.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Analyses and figures were conducted and prepared using R 3.5.3 (Team RDC) and the following packages: nlme, lme4 (Bates et al., 2015), lsmeans (Lenth, 2016), and ggplot2 (Wickham, 2016).	ggplot2		Suggestion: ggplot2 (RRID:SCR_014601)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
To evaluate demographic similarity between groups, participant characteristics were compared between groups utilizing either a two-tailed student T test for continuous variables with two groups, an ANOVA omnibus for continuous variables with more than two groups (with Tukey HSD post-hoc tests for paired compairsons), or an extended exact Fisher omnibus for percentages with more than two groups (with Fisher exact tests for paired comparisons).	T test
	ANOVA
	Tukey HSD post-hoc tests
	Fisher exact tests
Analysis of variance tables were subsequently calculated for each model to determine the significance of main effects and interactions.	Analysis of variance

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq