Document Identifier: **PMC8484973**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Methods Statement of ethics This study was exempt from institutional review board approval because the data were extracted entirely from publicly available resources.
Inclusion and Exclusion Criteria
NMEs approved under the classification “Type 1: New Molecular Entity” were accepted for analysis, and those with a different or missing classification were excluded.
Attrition
not detected.
Sex as a biological variable
Sex was recorded as either male or female.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
In cases of ambiguity concerning the label, clinicalstudy.gov, or statistical review, the clinical trial publication was searched on PubMed and reviewed for additional information.	PubMed		Suggestion: PubMed (RRID:SCR_004846)(link)
Statistical analysis Data analysis was performed using IBM SPSS Statistics, version 25 (IBM Corporation, Armonk, NY) and Microsoft Excel (Microsoft Corp, Redmond, WA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Due to the lack of data normality as determined by the Shapiro–Wilk test, the distribution differences between groups were assessed by nonparametric evaluations.	Shapiro–Wilk test
Mann–Whitney U and Kruskal–Wallis H tests were performed to analyze the demographic distribution differences between the two (approval pathway) and three (location and sponsor type) groups, respectively.	Mann–Whitney U
	Kruskal–Wallis H tests
Where applicable, post hoc analyses with Bonferroni corrections for multiple comparisons were conducted to single out the pairs that were significantly different.	Bonferroni corrections

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq