Document Identifier: **PMC8485825**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: 2 METHODS This study was approved by the local ethics board.
IACUC: The study protocol was conformed to the ethical guidelines of the 1975 Declaration of Helsinki.
Inclusion and Exclusion Criteria
We excluded from procedural time of the ICE advancing and long sheath positioning when used.
Attrition
One hundred eighty-eight patients were retrospectively enrolled between 2017 and 2019.
Sex as a biological variable
TABLE 1 Demographics and general characteristics of the two groups Group 1 (NSV catheter used) (88 CA) Group 2 (SV catheter used) (100 CA) P value Age (Y) 70.2 +- 9.7 64.1 +- 8.5 NS Female n
Subject Demographics
Weight: In Group 2 , the force value stored during EAM was between 6-30 g .
Randomization
not detected.
Blinding
not detected.
Power Analysis
We applied RF in a point-by-point with a power control catheter setting (power of 35 W and temperature of 35degC) the irrigation filling was 15 mLmin .
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Since January 2018 all CTI CA were performed using an irrigated 3.5 mm ablation catheter with shaft visualization and a tip sensor that quantify the contact force of the interface tip catheter-tissue: Thermocool Smart touch Biosense-Webster, Inc.	Thermocool Smart touch Biosense-Webster		
SPSS 20 for Windows (SPSS Inc) was the software used to perform statistical analysis.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way analysis of variance (ANOVA) was the statistical test used to compare the groups.	analysis of variance
	ANOVA
The relationships between continuous variables were calculated using a Pearsons correlation coefficients.	Pearsons correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq