Document Identifier: **PMC8489938**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The protocol (Supplement 1) was approved by the institutional review board at Tianjin Medical University Cancer Institute & Hospital (E2018142) .
Consent: All patients provided written informed consent before study participation .
Field Sample Permit: Baseline tumor specimens were sequenced by FoundationOne CDx (F1CDx) and U.S. Food & Drug Administration–approved 324-gene panel assay conducted by DIAN (Hangzhou Lab , China) with licensed technologies , to detect base substitutions , short insertions and deletions , focal gene amplification and homozygous deletions , and select gene fusions and biomarkers (tumor mutation burden [TMB] and microsatellite status) .
Inclusion and Exclusion Criteria
Other key inclusion criteria were evaluable lesions per Response Evaluation Criteria in Solid
Attrition
No patients had received prior antitumour treatment and were amenable to surgery.
Sex as a biological variable
not detected.
Subject Demographics
Age: Eligible patients were aged 18–75 years and had locally advanced ESCC confirmed by pathological and imaging diagnosis (T3-4 N0M0 or T1-4N+M0, stage I–IVa according to the 8th [2017] edition of the American Joint Committee on Cancer staging system).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication	
not required.	
Cell Line Authentication	
not detected.	
Protocol Information	
Identifiers: Methods Study design and participants We performed a single-arm, single-center, investigator-initiated, exploratory, phase 1b clinical study (ClinicalTrials.gov NCT03671265) at Tianjin Medical University Cancer Institute & Hospital in Tianjin, China.	NCT03671265

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
21 The tumor-immune microenvironment at baseline and during treatment (after 40 Gy radiation) was identified by multicolor immunofluorescence to quantify CD4+ and CD8+ T cells , CD11c+ dendritic cells , CD68+ macrophages , the immunosuppressive receptor PD-1 and its ligand PD-L1 , and tumor cells labeled with pan-keratin .	PD-L1		Suggestion: (RRID:CVCL_DF57)(link)
Software and Algorithms			
Health-related quality of life was assessed using European Organization for Research and Treatment of Cancer (EORTC) quality of life questionnaire-core 30 (QLQ -C30) and EORTC QLQ-OES18 scales , at baseline and every 2 weeks till the last dose (Methods in Supplement 2) .	EORTC		Suggestion: EORTC (RRID:SCR_004070)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Laboratory tests included hematology , biochemistry , urinalysis , liver/kidney function , and immunological and hormone tests .	Laboratory tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq