Document Identifier: **PMC8494445**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Data Information
Availability: Growth rate and cessation To determine whether the rate at which space is made available in the jaw coupled with the duration of jaw growth determine the timing of molar emergence, pairwise comparisons of MAL growth trajectories were performed between taxa that differ in adult MAL andor molar emergence timing.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Recombinant DNA			
Dimensionality reduction was performed through a pPCA (34) , implemented using the Phytools package for R (51)	pPCA		
Software and Algorithms			
Dimensionality reduction was performed through a pPCA (34) , implemented using the Phytools package for R (51)	Phytools		Suggestion: phytools (RRID:SCR_015502)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Resultant molar was compared to zero, which represents the position of the muscle resultant, using one-sided two sample t tests to determine whether molars emerge significantly anterior to the point at which the muscle resultant intersects the TOS.	t tests
These data were then used in an ordinary least squares regression with age as the predictor variable and MAL as the response variable , and the resulting slopes (extracted as the variable MAL growth rate) were compared between sets of taxa using an ANCOVA to determine whether the interaction between species and age is significantly different from zero in other words , if the slopes of the two species are significantly different from each other .	ANCOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq