Document Identifier: **PMC8500489**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and Methods Study Design, Setting, and Trial Registration This prospective, open-label, experimental study was approved by the Certified Review Board of the Medical Corporation Shinanokai
Consent: All participants were fully informed of the purpose and procedures of this study , and all provided written consent to the investigators .
Inclusion and Exclusion Criteria
The exclusion criteria were as follows: aphakic or pseudophakic eyes , any corneal abnormalities or other disorders that may interfere with accurate tonometry with the Goldmann Applanation Tonometer (GAT) , a history of corneal refractive surgery , corrected visual acuity of 20/33 or less , the possibility of developing visual field impairment during the study period , severe visual field impairment within 6 months including the date of consent acquisition (eg , –20 dB or less with a mean deviation in the Humphrey visual field test program central 30-2) , active external eye disease , eye/eyelid inflammation , and infections , a history of anterior or internal eye surgery , a history of glaucoma surgery including laser treatment , hypersensitivity to the components of the drug used in this study , being pregnant , a lactating woman , possibly pregnant , wishing to become pregnant during the study period , or unable to use proper contraception during the study period.
Attrition
not detected.
Sex as a biological variable
The exclusion criteria were as follows: aphakic or pseudophakic eyes , any corneal abnormalities or other disorders that may interfere with accurate tonometry with the Goldmann Applanation Tonometer (GAT) , a history of corneal refractive surgery , corrected visual acuity of 20/33 or less , the possibility of developing visual field impairment during the study period , severe visual field impairment within 6 months including the date of consent acquisition (eg , –20 dB or less with a mean deviation in the Humphrey visual field test program central 30-2) , active external eye disease , eye/eyelid inflammation , and infections , a history of anterior or internal eye surgery , a history of glaucoma surgery including laser treatment , hypersensitivity to the components of the drug used in this study , being pregnant , a lactating woman , possibly pregnant , wishing to become pregnant during the study period , or unable to use proper contraception during the study period.
Subject Demographics

Age: Participants All subjects enrolled in this study were patients with primary open-angle glaucoma (POAG) or ocular hypertension (OH) in at least one eye who had not been treated within 4 weeks before enrollment , who had an IOP of 18 mmHg or more for POAG , 21mmHg or more for OH in at least one eye , and 34 mmHg or less in both eyes , and who were aged 20 years and old.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical Analysis The backgrounds data and adverse event profiles of all the enrolled patients , and the other data for all the patients who completed the study , were analyzed using SAS software version 9.4 (SAS Institute Inc .	SAS		
	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical comparisons between the OMDI treatment and baseline values were performed for each parameter using the paired t-test.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq