Document Identifier: **PMC8506249**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the Research Ethics Committee of Isfahan University of Medical Sciences Ethical Approval Number: (IR.mui.rec. 1395.3.018) and written informed consent was taken from the parents before the enrollment.
Consent: This study was approved by the Research Ethics Committee of Isfahan University of Medical Sciences Ethical Approval Number: (IR.mui.rec. 1395.3.018) and written informed consent was taken from the parents before the enrollment.
Inclusion and Exclusion Criteria
Patients who underwent 2 or more failed attempts for intubation were excluded from the study.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patients were premature newborns with gestational age of <37 weeks who had RDS and needed nasal continuous positive airway pressure with a fraction of inspiratory oxygen of at least 40 to maintain oxygen saturation between 90 to95 and were candidates for INSURE treatment.
Randomization
MATERIALS AND METHODS We conducted a double-blind randomized controlled trial from September 2015 to February 2016.
Blinding
11 After preoxygenation and maintaining a blood oxygen level of 94 a neonatologist blinded to the patient groups performed intubation and checked for correct tube placement.
Power Analysis
12 Assuming a pooled SD of 3.3, a sample size of 27 newborns was needed to attain a power of 90 to detect a mean difference of 3 points in the PIPP scores with a 0.05 significance level.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Data were analyzed using the SPSS software (version 18.0, Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Categorical data were reported using frequency reporting measures and compared using Chi-square test.	Chi-square test
Comparison of means was done using Students t-test and Mann-Whitney U-test for quantitative data with normal and abnormal distribution, respectively.	t-test
	Mann-Whitney U-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq