SciScore: 5
What's this?

Document Identifier: **PMC8512627**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was accepted by the ethical committee of Birjand University of Medical Sciences (ID: Ir.bums.REC.1398.352) .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
2.4 Experimental design Fifty male Wistar rats (200-250 g body weight) were provided from the Animal Laboratory for Experimental Medicine Research Center , Birjand University of Medical Sciences .
Subject Demographics
Weight: 2.4 Experimental design Fifty male Wistar rats (200-250 g body weight) were provided from the Animal Laboratory for Experimental Medicine Research Center , Birjand University of Medical Sciences .
Randomization
The rats were randomly divided into 5 groups (n = 10 rats per group) as follows: Group 1: Control (normal saline) Group 2: Acute iron toxicity induced by FeSO4 (100 mgkg body weight) , was evaluated after 4 h .
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Data Information

Identifiers: , sodium acetate trihydrate , acetic acid (C2H4O2) , 2,4,6-tripyridyl- s-triazine (TPTZ) , and tannic acid powder were purchased from Sigma-Aldrich (USA)	C2H4O2
Identifiers: Furthermore , 1,1,3,3 Tetramethoxypropane was used as standard , and the results were presented in mmolL .	1,1,3,3

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
2.4 Experimental design Fifty male Wistar rats (200-250 g body weight) were provided from the Animal Laboratory for Experimental Medicine Research Center , Birjand University of Medical Sciences .	Wistar		Suggestion: RRID:RGD_13508588(link)
Software and Algorithms			
2.3.2 Morphology determination The shape , size , and structure of the synthesized TA-MS-NH2 NPs were analyzed using Field Emission Scanning Electron Microscope (FE-SEM) and transmission electron microscopy (TEM) (Zeiss , EM10C , Germany) .	Field Emission Scanning		Suggestion: Hitachi S4700 Field Emission Scanning Electron Microscope (RRID:SCR_020019)(link)
2.7 Statistical analysis The collected data were analyzed both the SPSS 16.0 software (SPSS Inc., Chicago, IL, USA) and GraphPad Prism version 6 (San Diego, CA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
All statistical analyses were examined via one-way analysis of variance (ANOVA) and Tukeys tests.	analysis of variance
	ANOVA
	Tukeys tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq