Document Identifier: **PMC8516509**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: These studies comply with the Declaration of Helsinki, locally appointed ethics committees approved the research protocol and patients provided informed consent before participation.
Consent: These studies comply with the Declaration of Helsinki, locally appointed ethics committees approved the research protocol and patients provided informed consent before participation.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patients in both trials were ≥18 years of age with RA symptoms for ≥6 weeks (SELECT-EARLY) or diagnosed RA for ≥3 months (SELECT-MONOTHERAPY).
Randomization
Materials and methods Study design and participants The study designs for SELECT-EARLY (NCT02706873) and SELECT-MONOTHERAPY (NCT02706951) phase 3 randomized controlled trials (RCTs) have been described in detail elsewhere [14, 17].
Blinding
MTX-IR patients received oral or parenteral MTX for ≥4 months at a stable dose for ≥4 weeks before enrolment and had active RA when they were randomized 1:1:1 to blindly discontinue MTX and receive UPA 15 mg or 30 mg daily as monotherapy plus placebo MTX or continue their previous dose of MTX monotherapy as a blinded study drug plus UPA placebo.
Power Analysis
not detected.

Replication	
not required.	
Protocol Information	
Identifiers: Materials and methods Study design and participants The study designs for SELECT-EARLY (NCT02706873) and SELECT-MONOTHERAPY (NCT02706951) phase 3 randomized controlled trials (RCTs) have been described in detail elsewhere [14, 17].	NCT02706873 NCT02706951

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Data analyses Least square mean (LSM) changes from baseline to week 12 (SELECT-EARLY) or from baseline to week 14 (SELECT-MONOTHERAPY) were calculated based on an analysis of covariance and mixed effect repeated measures model , respectively .	analysis of covariance
Comparisons between groups were made using chi-squared tests with statistical significance at the 5% level.	chi-squared tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq