Document Identifier: **PMC8526225**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All patients were informed about any medical treatment, including the ICSI procedure and prednisolone application, and their consent was obtained.
Inclusion and Exclusion Criteria
Inclusion criteria were (i) under 40 years of age, (ii) a body mass index between 18 and 29 kgm2, (iii) a follicle-stimulating hormone (FSH) value below 10 IUL on the 3rd day of the menstrual cycle, (iv) infertile patients who had been treated for IVF-ET due to male factor, tubal factor or both, (v) patients without other autoimmune diseases, (vi) patients with three or more follicles of 18 mm after ovarian stimulation, and (vii) patients with no history of smoking.
Attrition
On the day of oocyte intake, 44 of the 158 patients were started on prednisolone, and the other 114 patients were followed up without medication.
Sex as a biological variable
not detected.
Subject Demographics
Age: Inclusion criteria were (i) under 40 years of age, (ii) a body mass index between 18 and 29 kgm2, (iii) a follicle-stimulating hormone (FSH) value below 10 IUL on the 3rd day of the menstrual cycle, (iv) infertile patients who had been treated for IVF-ET due to male factor, tubal factor or both, (v) patients without other autoimmune diseases, (vi) patients with three or more follicles of 18 mm after ovarian stimulation, and (vii) patients with no history of smoking.
Weight: Inclusion criteria were (i) under 40 years of age, (ii) a body mass index between 18 and 29 kgm2, (iii) a follicle-stimulating hormone (FSH) value below 10 IUL on the 3rd day of the menstrual cycle, (iv) infertile patients who had been treated for IVF-ET due to male factor, tubal factor or both, (v) patients without other autoimmune diseases, (vi) patients with three or more follicles of 18 mm after ovarian stimulation, and (vii) patients with no history of smoking.
Randomization
All selected antithyroid antibody-positive patients were randomized into treatment and control groups by a computer-generated list on the day the oocyte was taken.
Blinding

not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Each tests reference value was used as a positive measure of anti-thyroid peroxidase and anti-TG antibodies.	anti-TG		
Exclusion criteria were (i) the presence of polycystic ovary syndrome and endometriosis (ii) a FSH value above 10 IUL on the 3rd day of the menstrual cycle (iii) two or less 18 mm follicles at the end of ovarian stimulation, (iv) patients with a concomitant autoimmune disease or patients with anticardiolipin, antinuclear antibodies, and lupus factor, (v) patients who had a total thyroidectomy and patients with a thyroid malignancy, or (vi) patients with a medical history of insulin-dependent diabetes mellitus or peptic ulcers.	anticardiolipin, antinuclear antibodies, and lupus factor,		
Software and Algorithms			
Statistical Analysis All statistical analyses in the study were done using SPSS 15.0 software (IBM SPSS, Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
In terms of categorical variables, comparisons between the groups were made with Pearsons Chi-square test, and the differences between the groups in terms of continuous variables were analyzed using the Students t-test.	Pearsons Chi-square test
	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq