Document Identifier: **PMC8529087**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The clinical sampling was conducted under the approval of the Ethical Committee of the First Affiliated Hospital of USTC (approval number: 2019-X(H)-025).
Consent: Informed consent was obtained and signed from each patient enrolled.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
2.11 Statistical analysis Data from triplicate experiments were analyzed with GraphPad software and presented as a mean +- SD.

Number: 2.11 Statistical analysis Data from triplicate experiments were analyzed with GraphPad software and presented as a mean +- SD.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
2.9 Immunoblotting assay for detecting protein levels The protein levels of FUBP1 and c-Myc were examined by Immunoblotting as described before 21 using antibodies against FUBP1 (ab181111 Abcam, Cambridge, MA, USA), c-Myc (10828-1-AP Proteintech, Rosemont, IL, USA), and GAPDH (T0004 Affinity, Cincinnati, OH, USA) (endogenous control).	FUBP1		
	c-Myc		
	GAPDH		
Experimental Models: Cell Lines			
UCH-1 cells were cultured in a 4:1 mixture of Iscoves Modified Dulbeccos Medium (IMDM Catalog No. 30-2005 , ATCC) and RPMI-1640 medium (Invitrogen) supplemented with 10 FBS (Invitrogen) and 1 L-glutamine (Invitrogen) .	UCH-1		
Recombinant DNA			
LncRNA KRT8P41 or the 3-untranslated region (3UTR) of the FUBP1 gene were amplified by a PCR using a U-CH1 cell genomic DNA and cloned downstream of the Renilla luciferase open reading frame in the Renilla psiCHECK2 vector (Promega, Madison, WI, USA).	psiCHECK2		
Software and Algorithms			
The colony numbers were then counted. 2.8 Transwell assay for detecting cell invasion Cell invasion was examined using a BD BioCoat(tm) Matrigel(tm) Invasion Chamber (BD Becton-Dickinson, MA, USA).	BD BioCoat(tm		
2.11 Statistical analysis Data from triplicate experiments were analyzed with GraphPad software and presented as a mean +- SD.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The statistical significance of the results was calculated using an unpaired Students t-test or and a one-way ANOVA test.	t-test
	ANOVA
A spearmans rank correlation coefficient analyzed the correlations of lncRNA KRT8P41, TBXT, KRT8, miR-193a, and FUBP1.	A spearmans rank correlation
Also, a log-rank test was used to analyze the survival in patients with chordoma and the data are depicted as Kaplan-Meier curves.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq