Document Identifier: **PMC8545493**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: All experiments were performed in compliance with NIH guidelines and protocols and were approved by the Virginia Polytechnic Institute and State University Institutional Animal Care and Use Committee.
Inclusion and Exclusion Criteria
No data or animals were excluded from any of the analyses.
Attrition
No data or animals were excluded from any of the analyses.
Sex as a biological variable
not detected.
Subject Demographics
Age: P0 mice were anesthetized with hypothermia , and the skin overlying the SC was opened and reflected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The following antibodies and dilutions were used: mouse anti-Brn3a (diluted 1:125 , Millipore) , rabbit anti-RFP (diluted 1:500 , Rockland) , rabbit anti-Opn4 diluted 1:2,000 , Dr. C . K . Chens laboratory (67)	anti-Brn3a		
	anti-RFP		
	anti-Opn4		
, mouse anti- SMI32 (diluted 1:1,000 , Covance) , rabbit anti-RBPMS (diluted 1:500 , PhosphoSolutions) , rabbit anti-GFP (diluted 1:250 , Invitrogen)	anti-GFP		
, mouse anti-NeuN (diluted 1:200 , Millipore) , rabbit anti-GFAP (1:1,000 , DAkoCytomation) , rabbit anti-Iba1 (1:500 , Wako) , mouse anti-GAD67 (diluted 1:500 , Millipore) , rabbit anti-calbindin (diluted 1:2,500 , Swant) , rabbit anti-calretinin (diluted 1:2,000 , Swant) , mouse anti-synaptophysin (diluted 1:500 , SySy) , and goat anti-NPNT (diluted 1:40 , R&D systems) .	anti-GFAP		
We immunopanned RGCs from retinal suspension using Thy1.2 antibody (CD90 , 1:800 , Bio-RAD) and 0.02 BSA (Sigma-Aldrich) for at least 2 h at room temperature (positive panning dish) .	Thy1.2		
	CD90		
Experimental Models: Organisms/Strains			
C57BL6 mice were obtained from Charles River Laboratories.	C57BL6		Suggestion: RRID:IMSR_JAX:000664(link)
Pvalb-Cre, Nes-Cre, Gad2-Cre, Calb2-Cre, Vglut2-Cre, Sst-Cre, Rosa-Stop-tdT, and Thy1-stop-YFP mice were obtained from Jackson Labs (stock nos. 008069, 003771, 010802, 010774, 016963, 013044, 007909).	Pvalb-Cre, Nes-Cre		
	Thy1-stop-YFP		
Conditional allele of Itgb1 (Itgb1flfl) and Aldh1l1-EGFP mice were provided by Dr. Stefanie Robel (Virginia Tech) (82 , 83) .	Aldh1l1-EGFP		
AAV1-Cre was a gift from James M.	AAV1-Cre		
Recombinant DNA			

Antisense riboprobes were generated against a 599-base pair (bp) fragment of Sst (corresponding to nucleotides nt 1 to 599 of NM_009215.1) , a 973-bp fragment of Spp1 (corresponding to nt 309 to 1279 of NM_001204201.1) , a 625-bp fragment of Gda (corresponding to nt 1884 to 2508 of NM_010266.1) , a 580-bp fragment of Vglut2 (corresponding to nt 2190 to 2769 of NM_080853.2) , and a 982-bp fragment of Gad1 (corresponding to nt 1015 to 1996 of NM_008077.2) , which were PCR-cloned into pGEM Easy T vector (Promega) .	pGEM Easy		
viral prep no. 105553-AAV1 RRID: Addgene_105553) .			RRID:Addgene_105553(link)
Software and Algorithms			
The animals behavior was scored manually during 10 s of looming stimulus using ANY-maze software.	ANY-maze		
For RGC immunopanning, fluorescent signals (of either Et33+ or NF+ RGC neurites) were binarized in ImageJ, and the fraction of the total area of the field of view they occupied was quantified.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
When comparing measurements between mutants and controls, we determined statistical significance either by Students t test (when comparing means between two groups) or by ANOVA or Mann-Whitney U test (when comparing means between three or more groups) using GraphPad Prism (version 8.0. RRID: SCR_002798), and we indicate which test was used in the figure legends.	GraphPad Prism		GraphPad Prism (RRID:SCR_002798)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
When comparing measurements between mutants and controls, we determined statistical significance either by Students t test (when comparing means between two groups) or by ANOVA or Mann-Whitney U test (when comparing means between three or more groups) using GraphPad Prism (version 8.0. RRID: SCR_002798), and we indicate which test was used in the figure legends.	Students t test
	ANOVA
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq