Document Identifier: **PMC8554107**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
Subcutaneous xenograft tumor model Subcutaneous tumors were established by injecting U-138 cells (5 x 105 cells100 mL PBS) in the right flank of 6- to 8-week-old male NODSCID mice.
Subject Demographics
Age: Subcutaneous xenograft tumor model Subcutaneous tumors were established by injecting U-138 cells (5 x 105 cells100 mL PBS) in the right flank of 6- to 8-week-old male NODSCID mice.
Randomization
not detected.
Blinding
Pathological changes were analyzed by a certified pathologist who was blinded to the treatment groups of the experiments.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The phosphorylation status of STAT1 in CHPV-infected lysates were also assessed by using the same antibodies , STAT1 and pSTAT1 .	STAT1		
	pSTAT1		
Experimental Models: Cell Lines			
Cells and cell culture conditions Cell lines Vero, A549, U-138, PC-3, HepG2, and HeLa were kindly provided by Prof. Griffith D.	A549		Suggestion: RRID:CVCL_0023(link)
	U-138		Suggestion: (RRID:CVCL_3350)(link)
	HeLa		Suggestion: RRID:CVCL_0030(link)
Parks (University of Central Florida, Orlando, FL, USA), while HADF cells (HiFi Adult Dermal Fibroblasts, cat. no. CL005) were procured from HiMedia, India. A549, U-138, HepG2, and HeLa cell lines were maintained in Dulbeccos modified Eagles medium (DMEM, Invitrogen) supplemented with 10 heat-inactivated fetal bovine serum (FBS Sigma, St. Louis, MO, USA), 2 mM L-glutamine, 100 IUmL penicillin, and 100 mgmL streptomycin (Thermo Scientific) at 37degC in a humidified CO2 incubator (5).	HepG2		Suggestion: RRID:CVCL_0027(link)
Vero cells were maintained in minimum essential medium (MEM, Invitrogen) supplemented with 10 heat-inactivated FBS, and PC-3 cells were maintained in DMEMnutrient mixture F-12 (DMEMF-12, Invitrogen) supplemented with 10 heat-inactivated FBS.	PC-3		Suggestion: RRID:CVCL_0035(link)
Regular HeLa and HeLa-Bcl-2 cells were infected with CHPV at an MOI of 1 , and cell viability was performed at 24 hpi using the same protocol mentioned above.	HeLa-Bcl-2		
Briefly , monolayers of Vero cells were infected with serially diluted culture supernatant and incubated at 37degC for 1 h .	Vero		Suggestion: RRID:CVCL_0059(link)
Experimental Models: Organisms/Strains			
Subcutaneous xenograft tumor model Subcutaneous tumors were established by injecting U-138 cells	NODSCID		Suggestion: RRID:IMSR_ARC:NODSCID(link)

(5 x 105 cells100 mL PBS) in the right flank of 6- to 8-week-old male NODSCID mice.			
Software and Algorithms			
Fluorescent images were acquired at 488570 nm using an Olympus Inverted Fluorescence IXT3 microscope , and the images were merged using the cellSens software (Olympus , Japan)	cellSens		
The plaques were counted , and the viral titer was plotted against their corresponding time using GraphPad Prism software version 5.01 Immunoblotting Cells were infected with 0.1 MOI CHPV , and the cell lysates were harvested at 12 and 24 hpi.	GraphPad Prism		
CHPV infection was detected using a mouse polyclonal antibody generated in-house , while b-actin served as the loading control (Sigma , St . Louis , MO , USA) .	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
Statistical analysis All the data were plotted and analyzed using GraphPad Prism 5.01 software.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical significance was calculated using the Students t test.	Students t test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq