SciScore: 5
What's this?

Document Identifier: **PMC8555535**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Patients with hypothyroidism were excluded.
Attrition
not required.
Sex as a biological variable
Materials and methods Subject recruitment and clinical evaluation We included 17 women with a BMI ≥35 kg/m2 that were undergoing bariatric surgery at the Integral Clinics for Obesity and Metabolic Diseases in Tláhuac Hospital, Mexico City.
Subject Demographics
Weight: Materials and methods Subject recruitment and clinical evaluation We included 17 women with a BMI ≥35 kg/m2 that were undergoing bariatric surgery at the Integral Clinics for Obesity and Metabolic Diseases in Tláhuac Hospital, Mexico City.
Randomization
Similar to the methylation analysis , 22 culture plates were prepared to analyse the gene expression profile at the beginning (day 0 , n = 11) and at the end (day 18 , n = 11) of the differentiation process , corresponding to 11 patients randomly selected (6 OD and 5 OND) .
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Briefly, a fresh WAT biopsy (median: 2–3 g) was cut into small pieces, washed with phosphate-buffered saline (PBS, Life Technologies, USA) and transferred to a sterile digestion solution, containing HAM- DMEM/ F12 medium (Life Technologies, CA, USA), 1 mg/ml collagenase II (Sigma–Aldrich, St. Louis, MO), and 10 mg/ml bovine serum albumin (BSA, Sigma-Aldrich, St. Louis, MO).	Sigma–Aldrich		
USA) , streptomycin (10,000 µg/ml , Gibco , Fisher Scientific , USA) , and penicillin (10,000 units/ml , Gibco , Fisher Scientific , USA) .	Gibco		
Methylation data were visualized and analysed with Genome Studio software version 2011.1 (Illumina) and the Methylation Module.	Genome Studio		
The ChAMP package was used to perform the control quality (C) evaluation and QC included detection of p-value cut-offs (>0.01), the raw intensities normalization of DNA methylation and Single Variation Deviation analysis.	ChAMP		Suggestion: ChAMP (RRID:SCR_012891)(link)
The oligo package was used to normalize the intensity of the gene expression [70].	oligo		Suggestion: oligo (RRID:SCR_015729)(link)
Pathway analyses DAVID V.6.8 was used to analyse potentially altered pathways from the list of genes that were differentially methylated between OD and OND samples [71].	DAVID		Suggestion: DAVID (RRID:SCR_001881)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences in biochemical and anthropometric data between OND and OD groups were tested with the unpaired Wilcox test (Table 1).	Wilcox test
The Pearson's correlation between DNA methylation and gene expression was performed comparing the Beta values of CpGs and the gene expression where the CpGs were located.	Pearson's correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq