Document Identifier: **PMC8558687**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was conducted in accordance with the requirements of the Declaration of Helsinki after obtaining approval from the Eskisehir Osmangazi University Faculty of Medicine Non-invasive Clinical Research Ethics Committee (12.05.202007).
Inclusion and Exclusion Criteria
1 Patients with history of ocular surgery including CXL, penetrating keratoplasty, deep anterior lamellar keratoplasty, and cataract surgery, patients with corneal scarring and ocular surface problems, patients under 18 years of age, and patients with no potential for progression due to stage 4 (end-stage) KC according to topographic KC classification (TKC) were excluded.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: 1 Patients with history of ocular surgery including CXL, penetrating keratoplasty, deep anterior lamellar keratoplasty, and cataract surgery, patients with corneal scarring and ocular surface problems, patients under 18 years of age, and patients with no potential for progression due to stage 4 (end-stage) KC according to topographic KC classification (TKC) were excluded.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
ORA parameters analyzed were corneal hysteresis (CH), corneal resistance factor (CRF) and applanation waveform parameters (p1area, p2area, uslope1, uslope2, dslope1, dslope2, w1, w2, h1, h2) (Table 1).	uslope1, uslope2, dslope1, dslope2, w1, w2, h1, h2		
Software and Algorithms			
Statistical Analysis IBM SPSS version 22.0 (IBM Corp, Armonk, NY, USA) was used for statistical analyses.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Independent groups t-test and univariate and multivariate logistic regression analysis were used to evaluate factors associated with KC progression.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq