Document Identifier: **PMC8558742**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All participants gave written informed consent at study enrollment.
IRB: The Institutional Review Boards of the Brigham and Womens Hospital and the American University of Beirut approved the present study.
Inclusion and Exclusion Criteria
Six participants were lost to follow-up and were excluded from the current analysis, resulting in 8,646 participants.
Attrition
Six participants were lost to follow-up and were excluded from the current analysis, resulting in 8,646 participants.
Sex as a biological variable
Age , yrs 47.1 +- 12.1 48.1 +- 12.1 < 0.001 Women 2,877 (44.7) 1,126 (51.0) < 0.001 White race 6,092 (94.6) 2,130 (96.6) < 0.001 Systolic blood pressure , mmHg 128.4 +- 20.1 129.8 +- 21.4 0.008 Diastolic blood pressure , mmHg 84.0 +- 11.3 84.5 +- 11.9 0.066 Hypertension 2,722 (42.3) 991 (44.9)
Subject Demographics
Age: Table 1 Baseline demographic and clinical characteristics grouped by presence of a family (paternal , maternal or sibling) history of premature coronary heart disease (before age 60 years) .
Randomization
A sample consisting of all visit 1 participants with elevated lipid levels, as well as an additional random sample of 15 of visit 1 participants were invited back for visit 2.
Blinding
Reason of death was determined by cardiologists who were blinded to the identity of the departed.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
A two-sided P-value less than 0.05 was considered statistically significant, and statistical analyses were performed using STATA software (version 13.0).	STATA		Suggestion: Stata (RRID:SCR_012763)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
From 1988 to 1995, deaths were reported from death certificates by trained nosologists who used the National Death Index from 1998 to 1991 and then the Epidemiology Research Index from 1992 to 1995.15 Statistical Analysis Baseline demographic and clinical characteristics were compared between groups with and without family history of premature CHD, using the Students t-test for continuous variables and the Pearsons chi-squared test or Fishers exact probability test for categorical variables (Table 1)	t-test
	chi-squared test
	Fishers exact probability test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq