Document Identifier: **PMC8561769**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Euthanasia Agents: After 7 or 14 consecutive days of EA, nine rats were anesthetized with 3 sodium pentobarbital (40 mgkg) before cervical dislocation under anesthesia.
IACUC: All experimental procedures in the present study were performed in accordance with the requirements of the Ethics of Animal Experiments and approved by the Animal Care and Use Committee of
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Materials and methods Animals A total of 20 Sprague-Dawley rats (sex, nine male and nine female age, 12 weeks weight, 250+-20 g) were obtained from the Hubei Experimental Animal Research Center (license no. 42000600032492).
Subject Demographics
Weight: Materials and methods Animals A total of 20 Sprague-Dawley rats (sex, nine male and nine female age, 12 weeks weight, 250+-20 g) were obtained from the Hubei Experimental Animal Research Center (license no. 42000600032492).
Randomization
After 24 h of CTX injection, two rats were sacrificed and the successful model establishment was assessed by H&E staining and the rats were randomly divided into the following three groups (n=6 per group): Control model and EA.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
, Ltd.) and CD163 (1:50 cat. no. MA5-16656 Invitrogen Thermo Fisher Scientific , Inc .) primary antibodies .	CD163		
After resting , the sections were incubated with Alexa Fluor 594-conjugated goat anti-rabbit IgG (1:20 cat. no. SA00006-4 Wuhan Sanying Biotechnology) and FITC-conjugated Affinipure Donkey Anti-Mouse IgG (1:20 cat. no. SA00003-9 Wuhan Sanying Biotechnology) secondary antibodies for 1 h at 37C .	Anti-Mouse IgG		
The sections were then blocked with 10 goat serum (cat. no. SL038 Beijing Solarbio Science & Technology Co . , Ltd.) for 30 min at 25C and incubated overnight at 4C with primary antibodies against Axin2 (1:50 cat. no. PAB40586 Bioswamp Life Science Lab Wuhan Bein Lai Biotechnology Co . , Ltd.)	Axin2		
The membranes were then incubated with 5 skimmed milk at 25C for 2 h before being incubated overnight at 4C with the following primary antibodies: TGF-b1 (1:2,000 cat. no. PAB33215 Wuhan Bein Lai Biotechnology Co . , Ltd.) , MMP-2 (1:2,000 cat. no. PAB30618 Wuhan Bein Lai Biotechnology Co . , Ltd.) , MMP-7 (1:2,000 cat. no. PAB30191 Wuhan Bein Lai Biotechnology Co . , Ltd.) , phosphorylated (p-) Smad3 (1:1,000 cat. no. ab193297 Abcam) , Smad3 (1:2,000 cat. no. PAB30705 Wuhan Bein Lai Biotechnology Co . , Ltd.) , p-ERK12 (1:2,000 cat. no. PAB36335-P Wuhan Bein Lai Biotechnology Co . , Ltd.)	TGF-b1		
	MMP-2		
	MMP-7		
	Smad3		
	p-ERK12		
The membranes were next washed with TBS and incubated with HRP-conjugated goat anti-rabbit IgG secondary antibody (1:20,000 , cat. no. PAB160011 Bioswamp Life Science Lab Wuhan Bein Lai Biotechnology Co .	anti-rabbit IgG		
Experimental Models: Organisms/Strains			

Materials and methods Animals A total of 20 Sprague-Dawley rats (sex, nine male and nine female age, 12 weeks weight, 250+-20 g) were obtained from the Hubei Experimental Animal Research Center (license no. 42000600032492).	Sprague-Dawley		Suggestion: RRID:RGD_70508(link)
Software and Algorithms			
Quantification of immunohistochemical images was performed using Image J (v1.53e National Institutes of Health) .	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)
The membranes were scanned using Gel Doz EZ imager (Bio-Rad Laboratories, Inc.).	Bio-Rad Laboratories		Suggestion: Bio-Rad Laboratories (RRID:SCR_008426)(link)
Statistical analysis Statistical analysis was performed with SPSS 19.0 software (IBM Corp.) using one-way analysis of variance followed by Tukeys test.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis Statistical analysis was performed with SPSS 19.0 software (IBM Corp.) using one-way analysis of variance followed by Tukeys test.	analysis of variance
	Tukeys test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq