Document Identifier: **PMC8566123**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the Boramae Medical Center Institutional Review Board (07-2019-26) .
Consent: Informed consent was waived by the board.
Inclusion and Exclusion Criteria
not detected.
Attrition
After exclusion of individuals with insufficient data for BMI or menopausal status, with a previous history of hysterectomy, or with a previous diagnosis of myocardial infarction (MI) or stroke during the wash-out period (2002 to 2008), 2,208,559 subjects were finally included (Fig.
Sex as a biological variable
The NHIS offers national health examination programs biennially, and the entire population of women aged 40 to 69 years who underwent routine health check-ups provided by the NHIS during 2009 were selected for the analysis (n=3,109,506).
Subject Demographics
Age: The NHIS offers national health examination programs biennially, and the entire population of women aged 40 to 69 years who underwent routine health check-ups provided by the NHIS during 2009 were selected for the analysis (n=3,109,506).
Weight: Definition of obesity and chronic diseases BMI was classified based on the World Health Organization (WHO) Asia-Pacific criteria and the Korean Society for the Study of Obesity criteria as follows: BMI 18.5 to 22.9 kg/m2 indicates normal; BMI 23.0 to 24.9 kg/m2 is overweight; BMI 25.0 to 29.9 kg/m2 is obesity class I , and BMI ≥30.0 kg/m2 is obesity class II [12,13] .
Randomization
not detected.
Blinding
not detected.

Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis All data were analyzed using SAS version 9.3 (SAS Institute Inc .	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
To compare the clinical characteristics according to menopausal status, independent t test for continuous variables and chi-square test for categorical variables were used.	t test
	chi-square test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq