Document Identifier: **PMC8566347**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: 2 Patients and methods This study was an open-labelled trial conducted in an outpatient setting from January 2016 to December 2017 at our institute after obtaining approval from the institutional ethical committee (approval no. MDCDOME391 dated 23-11-2015 by JNMC Institutional Ethics Committee on Human Subjects Research, J. N. Medical College, Belagavi, India).
Inclusion and Exclusion Criteria
Our study included patients aged 18 years and above having solitary renal calculus.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Our study included patients aged 18 years and above having solitary renal calculus.
Randomization
not detected.
Blinding
not detected.
Power Analysis
It was estimated to yield 80 power (type II or beta error of 0.20) to detect a difference of 20 or more between two groups, allowing 5 of type I error.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All lithotripsies were performed in supine position under general anesthesia using lithotripter (Modularis Variostar Siemens, AG Healthcare, Germany).	AG Healthcare		
All data were analyzed using IBM SPSS Statistics for Windows (Version 20.0. Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Laboratory tests such as complete blood count, blood urea nitrogen, creatinine, electrolytes, coagulation profile, urinalyses, and urine culture were done for all participant patients.	Laboratory tests
Nominal variables were taken as counts (or frequencies) and were compared by Chi-square test, while continuous variables with normal distribution were presented as mean +-standard deviation and were compared by independent samples t-test and paired t-test.	Chi-square test
	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq