Document Identifier: **PMC8589607**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: 2 Material and methods 2.1 Sample preparation Twenty caries-free premolars were obtained from healthy adult patients aged 18-45 years with the patients informed consent under a protocol reviewed and approved by the institutional review board at the King Saud University (Riyadh, Saudi Arabia registration number, E-17-2369).
IRB: 2 Material and methods 2.1 Sample preparation Twenty caries-free premolars were obtained from healthy adult patients aged 18-45 years with the patients informed consent under a protocol reviewed and approved by the institutional review board at the King Saud University (Riyadh, Saudi Arabia registration number, E-17-2369).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: 2 Material and methods 2.1 Sample preparation Twenty caries-free premolars were obtained from healthy adult patients aged 18-45 years with the patients informed consent under a protocol reviewed and approved by the institutional review board at the King Saud University (Riyadh, Saudi Arabia registration number, E-17-2369).
Randomization
not detected.
Blinding
not detected.
Power Analysis

Each specimen was then evaluated using a Stereo 80 Widefield Microscope (SWIFT Instruments, Inc., Boston, MA, USA) with a magnification power of 10x, with no further specimen preparation, to evaluate the mode of failure.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
2.4 Statistical analysis Two-way analysis of variance (ANOVA) was used to analyze the microtensile bond strength of the bonded and nonbonded groups.	analysis of variance
	ANOVA
For the failure mode and the enamel-sealant interface characterization, the Pearson chi-square statistical analysis test was used.	chi-square statistical analysis test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq