Document Identifier: **PMC8593296**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Because this was a meta-analysis using public databases, ethics review and informed consent were not applicable.
Inclusion and Exclusion Criteria
Inclusion criteria Different types of malignant lymphoma are heterogeneous, and different histology classifications and staging systems have various prognoses.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Materials and methods Study identification We conducted this meta-analysis according to the recommendations of The Cochrane Collaboration.	Cochrane Collaboration		
We conducted a comprehensive literature search of PubMed, EMBASE, Google Scholar	PubMed		Suggestion: PubMed (RRID:SCR_004846)(link)
	EMBASE		Suggestion: EMBASE (RRID:SCR_001650)(link)
	Google Scholar		Suggestion: Google Scholar (RRID:SCR_008878)(link)
, Cochrane Library , and Clinical trial databases from January 2000 to January 2021 .	Cochrane Library		Suggestion: Cochrane Library (RRID:SCR_013000)(link)
Statistical analysis All statistical analyses were conducted with Review Manager 5.3 (RevMan) software (Copenhagen: The Nordic Cochrane Centre, The Cochrane Collaboration, 2014).	RevMan		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Heterogeneity was first tested using the Chi-squared test, with a P value <0.01 representing statistical significance.	Chi-squared test
However, because tests of heterogeneity have a relatively low power when a small number of studies is included, we further explored heterogeneity using the I2 test, which is independent of the number of combined studies.	I2 test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq