Document Identifier: **PMC8605610**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study protocol was submitted to the Bioethics Committee of the Medical University of Warsaw in Poland, which confirmed that this study did not require consent owing to its retrospective nature (AKBE182021).
Consent: The study protocol was submitted to the Bioethics Committee of the Medical University of Warsaw in Poland, which confirmed that this study did not require consent owing to its retrospective nature (AKBE182021).
Inclusion and Exclusion Criteria
Cases where the transport order had been canceled or the mission had not been performed due to weather conditions or technical problems were excluded from the analysis.
Attrition
Ultimately, based on the established criteria, 443 cases of missions concerning pregnant patients that were completed by Polish Medical Air Rescue crews were included in the analysis.
Sex as a biological variable
Material and Methods The study involved a retrospective analysis of missions by HEMS and EMS crews of the Polish Medical Air Rescue concerning pregnant women in Poland.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The data obtained from documentation analysis were analyzed statistically using STATISTICA software version 13.2 (Tibco Software Inc., Palo Alto, CA, USA).	STATISTICA		Suggestion: STATISTICA (RRID:SCR_014213)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Distribution normality for quantitative variables was tested using the Kolmogorov-Smirnov test and the Lilliefors test.	Kolmogorov-Smirnov test
	Lilliefors test
Statistically significant differences between qualitative variables were tested using the chi-squared test, and differences between 2 independent groups were tested using the non-parametric Mann-Whitney U test.	chi-squared test
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq