Document Identifier: **PMC8606989**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: A written informed consent was obtained from each participant .
IRB: The study protocol was approved by the Institutional Review Board of Daegu University (1040621-201801-HR-009-02) .
Inclusion and Exclusion Criteria
The selection criterion of the participants was FHP and a score of >=4 for Visual Analog Scale (
Attrition
not detected.
Sex as a biological variable
Finally , a total of 32 office workers with FHP (13 males , 19 females mean age 36.63 years range , 23 to 57 years) were included in the study .
Subject Demographics
Age: Patients and Methods This prospective, randomized-controlled study included office workers with FHP aged between 20 and 60 years who were working at two elementary schools located in Ulsan, Republic of Korea between March 2018 and June 2018.
Randomization
Patients and Methods This prospective, randomized-controlled study included office workers with FHP aged between 20 and 60 years who were working at two elementary schools located in Ulsan, Republic of Korea between March 2018 and June 2018.
Blinding
not detected.
Power Analysis
The NDI is a widely used and reliable measure method with an ICC of 0.98.31 Statistical analysis Power analysis and sample size calculation were performed using the G*Power version 3.1.9.4 software (Heinrich-Heine-Universitat Dusseldorf, Dusseldorf, Germany).

Replication
Number: Both groups performed exercises for 40 min per day , thrice per week for a total of six weeks .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The CVA was measured using the Adobe Photoshop CS2 software (Adobe Systems Inc .	Adobe Photoshop		Suggestion: Adobe Photoshop, RRID:SCR_014199(link)
The NDI is a widely used and reliable measure method with an ICC of 0.98.31 Statistical analysis Power analysis and sample size calculation were performed using the G*Power version 3.1.9.4 software (Heinrich-Heine-Universitat Dusseldorf, Dusseldorf, Germany).	G*Power		Suggestion: G*Power, RRID:SCR_013726(link)
Statistical analysis was performed using the IBM SPSS for Windows version 22.0 software (IBM Corp., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
A normality test was performed using the Shapiro- Wilk test.	Wilk test
For homogeneity test of the experimental and control groups, independent sample t-test and chi-square test were conducted.	t-test
	chi-square test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq