Document Identifier: **PMC8606991**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: A written informed consent was obtained from each patient.
IRB: The study protocol was approved by the Eskisehir Osmangazi University, Faculty of Medicine Ethics Committee (25403353-050.99-E.37666).
Inclusion and Exclusion Criteria
Of these, 105 who did not receive the rehabilitation program in our clinic, 22 in whom the loss of labor force could not be estimated (i.e., housewife, retired, or student), and five with multiple body injuries were excluded.
Attrition
Of these, 105 who did not receive the rehabilitation program in our clinic, 22 in whom the loss of labor force could not be estimated (i.e., housewife, retired, or student), and five with multiple body injuries were excluded.
Sex as a biological variable
Finally, a total of 59 patients (55 males, 4 females mean age: 39.1+-11.3 years range, 20 to 64 years) were included in the study.
Subject Demographics
Age: Finally, a total of 59 patients (55 males, 4 females mean age: 39.1+-11.3 years range, 20 to 64 years) were included in the study.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Cost analysis Cost analysis was calculated as direct and indirect cost analysis in two ways.	Cost		Suggestion: COST (RRID:SCR_014098)(link)
Statistical analysis The statistical analyses were performed using IBM SPSS version 22.0 (IBM Corp., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Continuous variables are assessed using the Shapiro Wilk test.	Wilk test
The Spearman correlation analysis was used to investigate the relationship between the variables.	Spearman correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq