Document Identifier: **PMC8612904**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Ethics Statement The study protocol was approved by the institutional review board and ethical committee of National Taiwan University Hospital, Taipei, Taiwan (201811095RIND).
Inclusion and Exclusion Criteria
18 The exclusion criteria were as follows: age younger than 20 years, a history of trauma at the examined joint, or active infection of the examined joint.
Attrition
18 The exclusion criteria were as follows: age younger than 20 years, a history of trauma at the examined joint, or active infection of the examined joint.
Sex as a biological variable
not detected.
Subject Demographics
Age: 18 The exclusion criteria were as follows: age younger than 20 years, a history of trauma at the examined joint, or active infection of the examined joint.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

Authentication: We included the patients who underwent US examinations for the assessment of active synovitis in the elbows, wrists, MCP joints, proximal interphalangeal (PIP) joints, knees, ankles, andor metatarsophalangeal (MTP) joints where the validated scoring system was applicable.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
A high-positive RF (by nephelometry) and anti-CCP antibodies refer to international units (IU) values that were more than 3 times the upper limit of normal for the laboratory and assay (anti-CCP antibody level >30 UmL or RF level >47.7 IUmL).	anti-CCP		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical Analysis Quantitative and continuous variables were examined using the Mann-Whitney U test.	Mann-Whitney U test
Relationships among categorical data were assessed with Fisher exact test.	Fisher exact test
Spearman rank correlation analysis was used to evaluate the correlation between the grade of SH and PD, combined score, and laboratory parameters.	Spearman rank correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq