Document Identifier: **PMC8630941**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and Methods This register-based clinical study was written by following the Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) guidelines. 13 This clinical study was performed in a private clinic in Lisbon, Portugal between July 2012 and December 2014, and it was approved by an independent ethical committee (Ethical Committee for Health, Lisbon, Portugal authorization no. 0052012).
Consent: All procedures were performed with the adequate and understanding and written consent from all participants included in the study.
Inclusion and Exclusion Criteria
The inclusion criteria were patients that presented permanent teeth without active carious lesions at the first diagnostic appointment.
Attrition
The information collected from the sample is outlined in Table 1 and included demographic variables (age and gender), socioeconomic status evaluated from the occupation of each patient according to Goldthorpe classification (socioeconomic status 1: higher managerial, administrative, and professional occupations socioeconomic status 2: intermediate occupations socioeconomic status 3: routine and manual occupations), 14 recall regimen (average frequency of 6 months between dental hygiene appointments), systemic compromise status (absence, n = 2,692 patients presence, n = 983 patients: hepatitis, n = 26 patients cardiovascular, n = 636 patients thyroid, n = 128 patients diabetes, n = 104 patients rheumatological, n = 174 patients HIV +, n = 6 patients oncological, n = 40 patients inflammatory, n = 10 patients neurological, n = 13 patients autoimmune, n = 5 patients renal, n = 3 patients genetic, n = 3 patients Sjogren syndrome, n = 1 patient more than one condition: n = 157 patients), smoking status (nonsmoker smoker), and dental caries status (absence or presence)
Sex as a biological variable
There was a total of 3,675 patients included in this study (2,186 females and 1,489 males average age = 51.4 years range = 18-97 years).
Subject Demographics
Age: There was a total of 3,675 patients included in this study (2,186 females and 1,489 males average age = 51.4 years range = 18-97 years).
Randomization

not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical Analysis The data was analyzed by using SPSS version 17.0 (IBM, Rochester, New York, United States).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences between survival curves were determined by using the log-rank test.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq