Document Identifier: **PMC8631126**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was obtained from both participating students and their parents or guardians.
IRB: The Ethics committee at the Isfahan Cardiovascular Research Institute approved the study protocol.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Independent T-test was used for comparing the time consumed on various leisure-time activities between males and females.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Methods This secondary study has done using data of a part of Heart Health Promotion from Childhood (HHPC) project,13 which is one of ten projects of Isfahan Healthy Heart Program (IHHP).14 IHHP with a quasi-experimental design was a comprehensive community-based program for prevention and control of cardiovascular diseases and promotion of healthy lifestyle.	Healthy Heart Program		
Statistical analysis We used SPSS for Windows 15.0 (SPSS Inc., Chicago, IL, USA) for data analysis.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Independent T-test was used for comparing the time consumed on various leisure-time activities between males and females.	Independent T-test
Suitability of variables for FA was checked by Kaiser-Meyer-Olkin (KMO) measure of sampling adequacy and Bartlett test of sphericity.	Bartlett test
A KMO index higher than 0.5 and a significant result for Bartlett test was considered as essential prerequisites for FA according to Williams et al.18 We compared the prevalence of pre-HTNHTN by categorical variables using Chi-squared test.	Chi-squared test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq