Document Identifier: **PMC8632109**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Materials and methods Clinical sample collection A prospective cohort study of patients with NSCLC treated with an ICI was conducted in four different centers in Switzerland (Kantonsspital St Gallen, Spital Grabs, Spital Wil, and Spital Flawil) from July 1, 2016, to September 30, 2019.
IRB: The study protocol was approved by the Ethics Committee of Eastern Switzerland (Ethikkommission Ostschweiz, EKOS 16079) and was conducted in accordance with the Declaration of Helsinki guidelines.
Consent: All patients gave written, informed consent.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Samples were acquired using the BD LSRFortessa flow cytometer and data was analyzed using the FlowJo software.	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Mass spectrometric data processing Data processing was performed as previously described 17 with the Proteome Discoverer software (v1.4, Thermo Fisher Scientific, San Jose, CA) to integrate the search results of the SEQUEST HT search engine (University of Washington) 20 with the human proteome (Swiss-Prot database).	Proteome Discoverer		Suggestion: Proteome Discoverer, RRID:SCR_014477(link)
The false discovery rate (FDR estimated by the Percolator algorithm 2.04) 21 was limited to 5 for HLA class I and 1 for HLA class II. HLA class I annotation was performed using SYFPEITHI 1.0 22 and NetMHCpan 4.0.	Percolator		Suggestion: Percolator: Semi-supervised learning for peptide identification from shotgun proteomics datasets (RRID:SCR_005040)(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq