Document Identifier: **PMC8635177**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

Contamination: Cell preparation MCF-7 cells (confirmed to be mycoplasma negative) were grown in high glucose DMEM (Dulbeccos Modified Eagles medium) medium from Invitrogen, supplemented with 10 fetal bovine serum, 5 mL of Pen-Strep and HEPES at 37 degC and in 5 CO2.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
Cell preparation MCF-7 cells (confirmed to be mycoplasma negative) were grown in high glucose DMEM (Dulbeccos Modified Eagles medium) medium from Invitrogen, supplemented with 10 fetal bovine serum, 5 mL of Pen-Strep and HEPES at 37 degC and in 5 CO2.	MCF-7		Suggestion: RRID:CVCL_0031(link)
PANC-1 cells (confirmed to be mycoplasma negative) were grown in DMEM medium containing 10 fetal bovine serum and l-glutamine (2 mM) as previously described.	PANC-1		Suggestion: (RRID:CVCL_A4BU)(link)
51 For live imaging, the MCF-7 or MCF-10A cells were plated 24 h before experiments onto 35 mm glass-bottomed dishes (No. 1 0.17 mm thickness).	MCF-10A		
The passage number of MCF10A and MCF7 cells in the experiments was always smaller than 20 and 30, respectively.	MCF10A		Suggestion: RRID:CVCL_0598(link)
MIRIBEL checklist for nanoparticle characterization and cell preparation Component Data Materials characterization Synthesis See the Methods section Composition Silica Size 180 x 68 nm Shape Rod Zeta potential -31.4 mV Labelling Cy5.5 Targeting Passively targeted Biological characterization Cell seeding See the Methods section Cell line authentication MCF7, MCF10A, and PANC-1 Passage number MCF7 < 30, MCF10A < 20, and PANC-1 < 30 Mycoplasma testing Yes Background signal per cell Experimental protocol details Culture dimensions mL Administered dose 0.2 g mL-1 Imaging details See the Methods section Signal of cells Signal per time point Data analysis See the methods section Nanoparticle characterization and cell preparation followed the MIRIBEL guidelines (Table 1). 52	MCF7		Suggestion: RRID:CVCL_0031(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several

unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq