Document Identifier: **PMC8635439**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: MATERIALS AND METHODS Mice Animal care and use strictly followed institutional guidelines and governmental regulations.
Euthanasia Agents: Electrophysiological recordings Adult (8 to 10 weeks) DAT-IRES-Cre knock-in male mice 4 weeks after injection with AAV29-EF1a-DIO-ChR2 (H134R)-mCherry or AAV-DIO-eNpHR3.0-mCherry were anesthetized with an intraperitoneal injection of pentobarbital (100 mg kg-1) and then perfused transcardially with ice-cold oxygenated (95 O2 5 CO2) N-methyl-d-glucamine (NMDG) artificial cerebrospinal fluid (ACSF) solution 93 mM NMDG , 93 mM HCl , 2.5 mM KCl , 1.25 mM NaH2PO4 , 10 mM MgSO4*7H2O , 30 mM NaHCO3 , 25 mM glucose , 20 mM Hepes , 5 mM sodium ascorbate , 3 mM sodium pyruvate , and 2 mM thiourea (pH 7.4) , 295 to 305 mosM.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Electrophysiological recordings Adult (8 to 10 weeks) DAT-IRES-Cre knock-in male mice 4 weeks after injection with AAV29-EF1a-DIO-ChR2 (H134R)-mCherry or AAV-DIO-eNpHR3.0-mCherry were anesthetized with an intraperitoneal injection of pentobarbital (100 mg kg-1) and then perfused transcardially with ice-cold oxygenated (95 O2 5 CO2) N-methyl-d-glucamine (NMDG) artificial cerebrospinal fluid (ACSF) solution 93 mM NMDG , 93 mM HCl , 2.5 mM KCl , 1.25 mM NaH2PO4 , 10 mM MgSO4*7H2O , 30 mM NaHCO3 , 25 mM glucose , 20 mM Hepes , 5 mM sodium ascorbate , 3 mM sodium pyruvate , and 2 mM thiourea (pH 7.4) , 295 to 305 mosM.
Subject Demographics
Age: Adult (8 to 10 weeks) dopamine transporter (DAT)-internal ribosome entry site (IRES)-Cre knock-in mice (JAX, stock no. 006660) were trained and recorded.
Randomization
First , we randomly assigned one chamber as a test chamber .
Blinding

not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The slides were washed with 0.1 M PBS (pH 7.4) , incubated in blocking buffer 0.3 Triton X-100 and 5 bovine serum albumin in 0.1 M PBS (pH 7.4) for an hour , and then transferred into the primary antibody (rabbit anti-tyrosine hydroxylase antibody , 1:1000 Invitrogen) in blocking buffer overnight at 4degC .	anti-tyrosine hydroxylase		
The sections were washed three times in 0.1 M PBS and then incubated with donkey anti-rabbit immunoglobulin G H&L secondary antibody (conjugated to Alexa Fluor-488 or Alexa Fluor-594 , 1:1000 Jackson ImmunoResearch) at room temperature for 2 hours .	anti-rabbit immunoglobulin G		
Software and Algorithms			
The position of the mouse in the shuttle box was tracked online with a custom MATLAB (2016b	MATLAB		Suggestion: MATLAB, RRID:SCR_001622(link)
7, Python Software Foundation) routines.	Python		Suggestion: python-bx (RRID:SCR_024202)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
In the analysis of high-ramping and low-ramping DAergic activity , we compared the whole calcium signal of every trial with the average curve (the same length as the analyzed calcium signal) of all trials from one mouse in a single training day with paired a t test and then separated their waiting times into high-ramping group and low-ramping group .	t test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq