Document Identifier: **PMC8645424**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Euthanasia Agents: 2.8 Macroscopic evaluation of the defect repair The rats were sacrificed with an overdose of intraperitoneal injection of pentobarbital sodium at 4 weeks after surgery.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
2.7 Implantation of pellets into an osteochondral defect model Twelve-week-old male SD rats (n = 3, 3 groups) were used in this study.
Subject Demographics
Age: 2 Materials and methods 2.1 Isolation of CCs and SDSCs SD rats aged 3-4 months and weighing about 300 g were used as the source of CCs and SDSCs.
Weight: 2 Materials and methods 2.1 Isolation of CCs and SDSCs SD rats aged 3-4 months and weighing about 300 g were used as the source of CCs and SDSCs.
Randomization
not detected.
Blinding
2.11 Histological grading score The histology of the repaired tissue at 4 weeks was evaluated blindly using the ICRS histological grading system 41. 2.12 Statistics All data are representative of at least three experiments of similar results performed in triplicates.
Power Analysis
not detected.
Replication

2.11 Histological grading score The histology of the repaired tissue at 4 weeks was evaluated blindly using the ICRS histological grading system 41. 2.12 Statistics All data are representative of at least three experiments of similar results performed in triplicates.
Number: 2.11 Histological grading score The histology of the repaired tissue at 4 weeks was evaluated blindly using the ICRS histological grading system 41. 2.12 Statistics All data are representative of at least three experiments of similar results performed in triplicates.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Equal proteins were electrophoresed on 10 SDS-PAGE, transferred to 0.45 mm polyvinylidene fluoride (PVDF) membranes (Millipore), blocked with blocking buffer (New cell & Molecular Biotech Co., Ltd), and incubated with the primary antibodies against type X collagen and GAPDH (Affinity Biosciences) in tris-buffered saline tween-20 (TBST).	GAPDH		
Briefly, sections were probed with rabbit antibodies against collagen type II (Abcam) or collagen type X (Invitrogen) at a 1:100 dilution, followed by probing with a goat anti-rabbit secondary antibody conjugated with HRP (Yeasen Biotech Co., Ltd.) at 1:200 dilution.	antibodies against collagen type II (Abcam)		
	anti-rabbit		
Software and Algorithms			
After digestion, cells were filtered through 70 mm cell strainers, centrifuged, and resuspended in DMEM-hg supplemented with 10 fetal bovine serum(FBS, Gibco) and 1 PS.	Gibco		
PCR reactions were conducted in QuantStudio(tm) 7 Flex real-time PCR System. 2.5 Glycosaminoglycan (GAG) quantification GAG content was quantified by dimethyl methylene blue (DMMB) assay, as previously described 39.	GAG		
CCs were lysed by CelLytic(tm) M (Sigma) with 1 protease inhibitor cocktail and 1 phosphatase inhibitor cocktail (Epizyme Biotech) at day 7.	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
ImageJ software was used to analyze the integrated optical density (IOD) and area to calculate average of intensity (AOI) of images.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis was performed using Prism 8 software (GraphPad).	Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences

that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq