Document Identifier: **PMC8650664**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: A written informed consent was obtained from each patient.
IRB: The study protocol was approved by the Medical Board Westfalen-Lippe Ethics Committee (2018-391-f-S).
Inclusion and Exclusion Criteria
Inclusion criteria were as follows: age ≥60 years, having surgical treatment of the fracture by polyaxial plate osteosynthesis.
Attrition
not detected.
Sex as a biological variable
Of these patients, 101 (17 males, 84 females; mean age: 74.5±8.1 years; range, 60 to 94 years) met the inclusion criteria and were included in the study.
Subject Demographics
Age: Of these patients, 101 (17 males, 84 females; mean age: 74.5±8.1 years; range, 60 to 94 years) met the inclusion criteria and were included in the study.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
In the follow-up evaluation, the shoulder function was assessed by an independent specialist using the Constant-Murley Score (CMS) at least nine months after operation.[19] Further outcome measure included Disabilities of the Arm, Shoulder and Hand (DASH) score.[20] The 12-item Short Form-12 (SF-12) was used to evaluate the patient-reported impact of health on an individual's everyday life.[21] Statistical analysis Statistical analysis was performed using the IBM SPSS version 25.0 software (IBM Corp., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The Kolmogorov-Smirnov-test was used to test for normal distribution.	Kolmogorov-Smirnov-test
In case of normal distribution, an unpaired t-test was used.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq