Document Identifier: **PMC8664413**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Euthanasia Agents: The mice were euthanized by cervical dislocation, and the colon tissue of the mice was removed.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Establishment of an Animal Model Fifty C57BL6J male mice, 8 weeks old, were purchased from the Experimental Animal Center of Chongqing Medical University, Chongqing, China.
Subject Demographics
Age: Establishment of an Animal Model Fifty C57BL6J male mice, 8 weeks old, were purchased from the Experimental Animal Center of Chongqing Medical University, Chongqing, China.
Randomization
The mice were randomly divided into 6 groups, namely the (i) normal group, the (ii) model group, the (iii) AX group, the (iv) HFY06 group, the (v) AX+HFY06 combined group, and the (vi) LB (Lactobacillus delbrueckii subsp.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Establishment of an Animal Model Fifty C57BL6J male mice, 8 weeks old, were purchased from the Experimental Animal Center of Chongqing Medical University, Chongqing, China.	C57BL6J		Suggestion: RRID:IMSR_JAX:000664(link)
Software and Algorithms			
GraphPad Prism 7 software (Graph Pad Software Inc . ,	GraphPad Prism		
SPSS 17.0 software (IBM Corp., Armonk, NY, USA) was used for statistical analysis, and the groups were compared by analysis of variance (ANOVA) followed by the Duncan multi-range test ($p < 0.05$).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
SPSS 17.0 software (IBM Corp., Armonk, NY, USA) was used for statistical analysis, and the groups were compared by analysis of variance (ANOVA) followed by the Duncan multi-range test ($p < 0.05$).	analysis of variance
	ANOVA
	Duncan multi-range test
Oligonucleotides	
Table 2 Primer Sequence List Gene Name Sequence NF-kBp65 Forward: 5-ATGGCAGACGATGATCCCTAC- 3 Reverse:	5-ATGGCAGACGATGATCCCTAC- 3
5-CGGAATCGAAATCCCCTCTGTT -3 IkB-a Forward: 5-TGAAGGACGAGGAGTACGAGC- 3 Reverse: 5-TGCAGGAACGAGTCTCCGT-3 iNOS Forward: 5-GTTCTCAGCCCAACAATACAAG A-3 Reverse:	5-TGAAGGACGAGGAGTACGAGC- 3
	5-TGCAGGAACGAGTCTCCGT-3
	5-GTTCTCAGCCCAACAATACAAG A-3
5-GTGGACGGGTCGATGTCAC-3- 3 COX-2 Forward: 5-GGTGCCTGGTCTGATGATG-3 Reverse:	5-GGTGCCTGGTCTGATGATG-3
TNF-a Forward: 5-CAGGCGGTGCCTATGTCTC-3 Reverse: 5-GCTGCAACAGGGGGTAACAT-3 b-actin Forward: 5-CATGTACGTTGCTATCCAGGC- 3 Reverse: 5-CTCCTTAATGTCACGCACGAT- 3 Statistical Analysis The data are presented as the mean +- standard deviation .	5-CAGGCGGTGCCTATGTCTC-3
	5-GCTGCAACAGGGGGTAACAT-3
	5-CATGTACGTTGCTATCCAGGC- 3

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq