Document Identifier: **PMC8664494**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Sporulation efficiency was determined in three biological replicates by counting the number of asci with four, three, and two nuclei divided by the total number of cells.
Type: Sporulation efficiency was determined in three biological replicates by counting the number of asci with four, three, and two nuclei divided by the total number of cells.

Number: Sporulation efficiency was determined in three biological replicates by counting the number of asci with four, three, and two nuclei divided by the total number of cells.
Code Information
Availability: A complete repository of all processed images is available at https://research.stowers.org/imagejplugins/jaspersen_meiosis_splitGFP_screen/.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Materials and methods Library construction The generation of the C-terminally tagged library in the BY strain, SLJ7859, [MATα can1Δ:: STE2pr-SpHIS5 lyp1Δ his3Δ1 leu2Δ0 ura3Δ0 met15Δ0 LYS2 pCEN/ARS-LEU2- NOP1pr-GFP11-mCherry-PUS1 (pSJ1321)] has been described previously (Smoyer et al. 2016).	LYS2 pCEN/ ARS-LEU2- NOP1pr-GFP11-mCherry-PUS1 (pSJ1321)		
INM gamete screen The BY4742 derivative (MATα can1Δ:: STE2pr-SpHIS5 lyp1Δ his3Δ1 leu2Δ0 ura3Δ0 met15Δ0 LYS2 pCEN/ARS-LEU2-NOP1pr-GFP11-mCherry-PUS1) haploid strain containing the C-terminal GFP1-10 tagged genes was mated to the SK1 (MATa ho::LYS2 lys2 ura3 leu2::hisG his3::hisG trp1::hisG leu::Nop1pr- GFP11-mCherry-PUS1-LEU2) haploid strain using the Singer ROTOR (Singer Instruments) on YPD plates for 2 days at 30°C.	LYS2 pCEN/ ARS-LEU2-NOP1pr-GFP11-mCherry-PUS1		
Recombinant DNA			
Split-GFP reporters consisted of pRS315-NOP1pr-GFP11-mCherry-PUS1 (pSJ1321) for the INM and pRS315-NOP1pr-GFP11-mCherry-SCSTM (pSJ1568) for the ONM/ ER, whose construction has been previously described in detail (Smoyer et al. 2016).	pRS315-NOP1pr-GFP11-mCherry-PUS1		
	pSJ1321		
	pRS315-NOP1pr-GFP11-mCherry-SCSTM		
	pSJ1568		
Single copy integrating plasmids containing selected genes were made by PCR amplification of the open-reading frame with and without the NLS from SV40 large T-antigen at the N-terminus, ~1000 bp of the DIT1 promoter sequence and ~200 bp of the gene-specific terminator from genomic DNA and assembled into pRG203MX using Gibson Assembly (New England BioLabs, Inc).	pRG203MX		
Software and Algorithms			

Images were processed using Image J (NIH, Bethesda, MD, USA).	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq